DECEMBER, 1960



AMATEUR

AMATEUR AMATEUR

AMATEUR

RADIO RADIO RADIO

RADIO

RADIO

Australia's Electronic Hobbyist Centre

MAGRATHS

Mecca of Hi-Fi"

AND ALL THE THINGS YOU'D WISH YOURSELF IN 1961!

SOLDERING IRONS

"Precision" Miniature 6 and 12 volt, 12 watt, price 41/9. Spare bits (5 sizes): 5/- each. Special Transformers for above: 240v. prim-ary, 6, 12 and 24v. sec., 49/- plus 121 % S.T. "Scope 6-Second Iron. Also "Scope" Trans-former. Spare "Scope" parts always available.

ERSIN MULTICORE SOLDER 60/40/16G in 1 lb. packs, 12/5 per pack. 40/60/16G in 1 lb. packs, 10/3 per pack. Savbit Solder, 12/5 per pack.

KNOBS, etc.

Aegis radio and instrument. Also large range of plain and fancy imported knobs. Test Leads-clips, miniature. Jacks and Plugs-7-pin and 9-pin plugs.

WHATEVER YOU NEED, MAGRATHS WILL HAVE, OR WILL ADVISE YOU ON A SUITABLE SUBSTITUTE.

Single and double Aerial Switches.

MAIL ORDERS WELCOMED! Trade Supplied.

HI-FI AMPLIFIERS

Mullard Stereo 4-4 Kit Set, £29/10/0. Mullard Stereo 4-4 wired & tested, £34/10/0. Also such well known brands as Aegis Stereo Six-88; Leak, Quad and Pioneer.

MAGRATHS XMAS SPECIAL! TMK Multimeter (Model 200), up-todate design. Rugged construction, clear plastic panel and moulded case. Lightweight pocket size. High sensitivity.

Only £9 (incl. sales tax).

Eric: Types 8, 9 and 10: ½ watt, 1 watt, 2 watt. Philips: ½ watt and 1 watt. Cracked carbon. I.R.C.: 3, 5, 10 and 20 watts. Wire wound. Ducon: Cemcoat, 5 watt wire wound.

Full Range of Zephyr Mikes, Aegis and Other Brands of Amplifiers, Pre-Amps., Tuners,

MAGRATHS

RADIO RADIO RADIO

RADIO

RADIO RADIO



J. H. MAGRATH & CO. PTY. LTD., 208 LT. LONSDALE ST., MELB., VIC. FOR SELF-SERVICE AND KEEN PRICES! PHONE FR 3731

AMATEUR RADIO

"HAM" RADIO SUPPLIERS

5A MELVILLE STREET, HAWTHORN, VICTORIA

North Balwyn Tram Passes Corner. Phone: WM 6465

Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs. in weight, 5/- extra.

THIS MONTH'S SPECIALS 0-1 mA. METERS

0-1 mA. Meters, 34" diam., brand new. Well known make. 35/-. CRYSTAL MICROPHONES Pencil Type. Brand new

Well known make. £3/5/0 R1155B COM. RECEIVERS New and air tested. Frequency range: 75 Kc. to 18 Mc. Few only, £25.

NEW POCKET MULTIMETERS 300 μA. movement. DC volt ranges: 0-10v., 0-50v., 0-250v., 0-500v., 0-1000v. AC volt ranges: 0-10v., 0-50v., 0-250v.,

0-500v., 0-1000v. Current ranges (mA.): 0-1, 0-100, 0-500. Ohms range: 0-100,000 ohms. Size: 3\(\) " x 2\(\) " x 1\(\) ". Complete with leads, £2/17/6, post paid.

FILAMENT TRANSFORMERS 2.5 volts c.t., 10 amp.; 12 volts 3 amp. New, "S" Power Supply type. £3/0/0. Power Supply type. £3/0/0.

METERS 0-1 mA., centre reading, 3" round, new,

0-4 amp. r.f., 3" round with shorting switch

SWITCH BOXES Press Button (6 position). Contains six Bezal Indicators. New. 5/-.

GENEMOTORS

Command Receiver Genemotors, 28v. input, 250v. 60 mA. output, new, 25/-

BATTERY CHARGERS 6 volt 6 amp.; 12 volt 6 amp. Dual, with Meter. £11/5/0.

RELAYS 522 Type 5,000 ohms 522 Type, Aerial Changeover

SPEAKER TRANSFORMERS Prim.: 7000 ohms; Sec.: 3.5 ohm, tapped at 2 ohms. 10/-. VARIABLE CONDENSERS

120 pF. ceramic, 1 inch shaft, 10/-Three-gang (R1155 type), ceramic in-Four-gang, 150 pF. per section, ceramic

Single-gang, 0.0005, ceramic SWITCHES

Switches, d.p.s.t. toggle, SCR536 type, 5/- each, or 5 for 20/-Switches, s.p.s.t. toggle, new STEP-DOWN TRANSFORMERS 230 volt to 110 volt, 1kv.

VALVES

1A3 2/-	6SH7 4/- 5a £1
1A7GT 7/6 3 a £1	6SQ7 12/6
1C7 3/- 7a £1	6SS7 7/6 3 a £1
1D5GT 5/- 5 a £1	6X5 10/-
1D8 7/6 3 a £1	7A8 3/6 7a £1
1H5 5/- 5a £1	7B8 7/6
1H6 5/- 5a £1	7C5 5/- 5a £1
1K4 5/- 5a £1	7C7 2/- 12 a £1
1K5 5/- 5a £1	7F7 5/- 5 a £1
1K7 5/- 5a£1	7W7 2/6 10 a £1
1M5 5/- 5a £1	7E6 3/6 7a £1
1N5 5/- 5a £1	12A6 5/- 5a£1
1P5 2/- 10 a £1	12AH7 5/- 5 a £1
1Q5 5/- 5a£1	12AT7 7/6 3 a £1
1S5 10/-	12C8 5/-
1T4 5/- 5a £1	12J5 5/- 5a £1
2A5 7/6 3 a £1	12K8 5/- 5a £1
EA50 2/6 9a £1	12SA7 10/-
2D21 10/-	12SF7 5/- 5 a £1
2X2/879	12SG7 5/- 5a £1
5/- 5a £1	12SK7 5/- 5a £1
3A4 10/-	12SL7 7/6 3 a £1
3AP1 35/-	12SR7 5/- 5 a £1
3BP1 45/-	14A7 3/6 7a £1
305 5/- 5a £1	
5R4GY £1	25L6 5/-
	117Z6 5/- 5a £1
5Y3GT 12/6	1625 5/- 5 a £ 1
6A3 7/6 3a £1	35T 30/-
6A7 10/-	717A 7/6
6A8 12/6	815 £1
6AC7 2/6 10 a £1	830B 15/-
6AG5 5/- 5a £1	832A 19/6
6AJ5 7/6 3 a £1	885 5/-
6AG7 12/6	954 5/- 5a £1
6AM5 (EL91) 10/-	955 5/- 5a £1
6AM6 (EF91) 10/-	956 5/- 5a£1
6AQ6 (EF92) 10/-	958A 2/6 10 a £1
6B4 10/-	9002 7/6 3 a £ 1
6B7 10/-	9003 7/6 3 a £1
6C4 5/- 5a £1	AV11 2/11
6C5 5/- 5a£1	EA50 2/- 10 a £1
6C6 5/- 5a£1	EF36 5/- 5a £1
6C8 5/- 5a £1	EF39 5/- 5 a £1
6D6 5/- 5a £1	QE04/10 15/-
6E5 5/- 5a £1	QV04/7 15/-
6F6 7/6 3 a £1	UL41 7/6 3a £1
6G6 7/6 3a £1	VR53 5/- 5a £1
6H6 2/- 12 a £1	VR57/EK2
6J6 10/-	7/6 3 a £1
6K7 5/- 5a £1	VR100 5/- 5 a £1
6L7 5/- 5a £1	VR101 5/- 5 a £1
6N7 7/6 3a£1	VR102 5/- 5a £1
6R7 7/6 3a £1	VR103 5/- 5 a £1
6T7 7/6 3 a £1	VR136 2/- 12 a £1
6Z7 7/6 3 a £1	VR150 12/6
	VT52 5/-
6SF5 7/6 3 a £1	VT127 4/11 5 a £ 1

6SF7 7/6 3 a £1 PE Cell 1P130 ENGLISH LF.F. UNITS

68G7 12/6

VT127 4/11 5 a £1

New I.F.F. Units with genemotor of 18v. input, 450v. output. When 12v. applied 250v. output. Boxed ready for Rail. £4/10/0 each

COMMAND TRANSMITTERS

BC456, 3-4 Mc., new, with valves, £9. BC457A, 4-5.3 Mc., new with valv. £61. BC459A, 7-9.1 Mc., new with valv. £7. SET OF VALVES FOR

COMMAND TRANSMITTER Two 1625, one 1626, one 1629. New in carton. 15/- a Set.

SET OF VALVES FOR

COMMAND RECEIVER

Three 12SK7, one 12K8, one 12SR7, one 12A6. New in carton, £1/0/0 a Set.

SCR522 TRANSCEIVERS Freq. range: 100 to 150 Mc. Complete with Valves, including 832s.

As they come-£10/0/0

SPECIALS!! SPECIALS!! Shielded Cable (3-core spag, insulation) Single Shielded Hook-up Wire, American "Synkote" plastic impregnated shield. 1,000 ft. rolls. £15 a roll.

English Filter Chokes, 40 mA., 100 ohm . 3/6 each Carbon Mike Transformers, small, new 40 mA. Dial Globes, 6 volt .. 1/- each SCR522 Receivers, less valves £2 SCR522 Top Deck Rack inc. change-£2

over relay £1
SCR536 Walkie-Talkie Cases (less the mike, earpiece, and bottom case) 7/6 Twin Cartridge Auto Fuse Holders, enclosed, bakelite case 2/6 each Fuses, Auto, all types 5 for 2/-Fuse Holders, round type 3 AT5/AR8 Cables, 10 ft. long ... 3/6 each 10/-Command Regiver Flexible Drives, 12 10/-Octal Plugs, with dust cover 1/- each. Command Receiver. Remote Control

Tuning Box, BC450A, new 25/-Command Receiver Twin Mounting Racks, new CO-AXIAL CABLE

100 ohm co-ax. cable, 2" diam., 2/- yd. 98 ohm co-ax. cable, 3" diam., in 100 yard rolls £7/10/0, or 1/9 yd. 50 ohm co-ax. cable, §" diam., 2/- yard or £8/15/0 per 100 yard roll. American Ampenol Coax Plugs, 5/- ea

POWER TRANSFORMERS

385 volts aside, 100 mA., 6.3v. at 3 a., 5v. at 3a. Brand new. 45/-. 410 volts aside, 80 mA., 12.8v. at 1.25a., 5v. at 2a. 40/-.

CALL BOOKS - LOG BOOKS 1960-61 Call Book 6/-; Log Book 4/6. DECEMBER - - 1960 | Vol 28 No. 12

EDITOR.

K. M. COCKING, VK3ZFQ.

PUBLICATIONS COMMITTEE:

- G. W. BATY, VK3AOM, S. T. CLARK, VK3ASC.
 - J. C. DUNCAN, VK3VZ.
 - J A ELTON VK3ID.
 - R. S. FISHER, VK3OM.
 - R. W. HIGGINBOTHAM, VK3RN,
- E. C. MANIFOLD, VK3EM,
- A. ROUDIE, VK3UJ. I VAILE VK3PZ
- L. T. WHITE, VK3ZEW (Cartoons)
- P. D. WILLIAMS, VK3IZ.

ADVERTISING REPRESENTATIVE:

BEATRICE TOUZEAU, 96 Collins St., Melbourne, C.1. Telephone: MF 4505.

DRINTERS.

"RICHMOND CHRONICLE," Shakespeare St., Richmond, E.1. Telephone: JB 2419.

MSS. and Magazine Correspondence should be forwarded to the Editor, P.O. BOX 36, EAST MELBOURNE, C.2, VIC., on or before the 8th of each month.

Subscription rate, in Australia and Overseas, is 24/- per annum, in advance (post paid).

Wireless Institute of Australia (Victorian Division) Rooms' Phone Number is JA 3535.

THE CONTENTS Conquitonno Motor

Capacitance Meter	
Winding Coils for Low Fre-	
quencies	3
Super Simple Sideband	4
Crystal Calibrator No. 10	9
Low Freq. Xtal Oscillators	13
Another Product Detector	13
Timer	13
Results of the Remembrance Day	
Contest, 1960	6
Prediction Chart, December '60	
W.I.A. DXCC	9
"CQ" World-Wide S.s.b. Contest	9
"OK" DX Contest	9
"OK" DX Contest	9
"OK" DX Contest	9
"OK" DX Contest Index to "A.R." Technical Art- icles—1956-60 Index to Volume 28—1960	9 14 28
"OK" DX Contest Index to "A.R." Technical Articles—1956-60 Index to Volume 28—1960 Feedback	9 14 28 16
"OK" DX Contest Index to "A.R." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondence	9 14 28 16 17
"OK" DX Contest Index to "AR." Technical Art- icles—1956-60 Index to Volume 28—1960 Feedback Correspondence VHF	9 14 28 16 17 11
"OK" DX Contest Index to "AR." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondene VHF Sideband	9 14 28 16 17 11 13
"OK" DX Contest Index to "AR." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondence VHF Sideband SWL	9 14 28 16 17 11 13 19
"OK" DX Contest Index to "AR." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondence VHF Stideband SWL DX	9 14 28 16 17 11 13 19 21
"OK" DX Contest Index to "AR." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondence VHF Sideband SWL	9 14 28 16 17 11 13 19 21
"OK" DX Contest Index to "AR." Technical Articles—1956-60 Index to Volume 28—1960 Feedback Correspondence VHF Stideband SWL DX	9 14 28 16 17 11 13 19 21

AMATEUR RADIO JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA

Published by the Wireless Institute of Australia, Victorian Division, 478 Victoria Parade, East Melbourne, C.2. Postal Address: P.O. Box 36, East Melbourne, C.2. Vic.

EDITORIAL

CHRISTMAS CREETINGS

As 1960 comes to a close the Fes-tive Season commences and mankind all over the world extends his hand in greetings to his fellow man. Be-cause of differing beliefs—political, racial, religious and educational racial, reigious and educational-mankind has as yet never reached a state of mutual agreement, and yet at this time he greets his fellow man on terms of friendship and enjoy-ment of the festivities of this annual period

Amateur Radio is unique in its ability to transmit messages of goodwill from state to state, from country to country, and in so doing main-tains a public relationship which could never be done by any other

The Geneva, 1959, conference of the International Telecommunica-tions Union illustrated graphically that the Amateur Service was dangerously close to suffering a great loss in frequency space, and if it hadn't been for strong representation by many countries-including Australia through the Wireless Institute's representative (the late John Moyle)
—it could have even faced annihala—

It's to the credit of the Amateur Service that the I.T.U. gave it such a just hearing and took steps to write into the Geneva Frequency Table into the Geneva Frequency Table bands and regulations governing its operation which must remain for all time if the Service continues to justify its existence in the future as it has done in the past. But it must justify its future existence! In the years ahead there is going to be more and more demand for channels for this service and that service, and the Amateur Service will have to justify itself and the use to which it puts its frequency allocations along with every other frequency neer

As far as Australia is concerned its allocation problems have not been finally settled in accordance with the proposed Geneva Frequency Table which is due for ratification in May, 1961. Various frequency users were so unsatisfied with the outcome of the Geneva Conference that the Postmaster-General, Hon, C. W. Dav-idson, O.B.E., called together a special Ad Hoc Committee known as the Radio Frequency Allocation Review Committee whose task it is to re-view the allocation to the Australian

frequency users in the light of the Geneva Conference with a view to determining the use to which the frequency spectrum is used in the best National interests of the Com-monwealth of Australia. The out-come of this Committee's delibera-come of this Committee's deliberations will not be known for some considerable time because the entire considerable time because the entire frequency table must be reviewed. The W.I.A. has a representative on this Committee whose main task is to defend the Amateur Service allocations.

Insofar as the individual Amateur is concerned, his task in the years ahead is a relatively simple one; he must use the allocations granted to him and he must encourage others to do the same. In a country like Australia, with its vast area and lim-Australia, with its vast area and limited population, a high percentage of Amateur licensees is of paramount importance. Each of us can assist in this direction. The country is crying out for technical people in every section of the electronic and allied industries. Amateur Radio provides the starting off point, as evidenced by the already high per-centage of key technical posts held

by Amateurs. by Amateurs.

Every Amateur should encourage young people to take up Amateur Radio for it serves a vital need to initiate that first desire to continue the study of electronics which leads a young man (or woman) to pursue his/her course in life in this field. If Amateur Radio only did this (but of course it does a lot more), it is serving a great need in the national

There are many opportunities to interest young people in Amateur Radio; school clubs, the Boy Scout movement (already a body of boys involved in a form of communica-tion) and boys' social clubs. It is here that the future progress of youth is generated. Make it your job to interest one boy in the hobby of Amateur Radio next year and you will see the fruits of your effort. If the 4,000 odd licensees in the Commonwealth of Australia did this, and each was successful in his "candi-date" becoming an Amateur, the present number would double itself in one year.

To protect our future is our own responsibility. Let's start in 1961, A Merry Christmas to you all.

-FEDERAL EXECUTIVE.

Build your own electronic units . . . build the BEST and SAVE money with . . .





High Performance Reception at Low Cost with this Communications-type Receiver

 Round the World Signals from Broadcast Band to 10 Metres.

HEATHKIT ALL BAND RECEIVER SET

The AR-3 covers frequencies from 550 Kc. to 30 Mc. in four bands, clearly marked on the sliderule dial. Designed for high circuit efficiency and ease of assembly, the AR-3 combines good sensitivity and selectivity with fexible overall operation. The power supply is transformer operated for safety and high efficiency.

for safety and high efficiency.

Features include: Band switch, bandspread tuning, phone-standby-C.W. switch, headphone face, respectively. The safety of the phone face of the safety o

PRICE: £43/15/0

CABINET: Plastic impregnated fabric covered cabinet with aluminium panel. Part No. 91-15A. Wgt. 5 lb. Size: 11½ x 5¼ x 6¾ in.

PRICE: £5/10/0



HEATHKIT Balun Coil Kit

(B-1)

Match unbalanced coaxial lines, found on most modern transmitters, to balanced lines of either transmitter accessory.

Capable of handling power input up to 200 watts, the B-I may be used with transmitters and receivers covering 80 through 10 metres. No adjustments required.

Cabinet measures 9 in. square x 5 in. deep. The unit may be located any distance from the transmitter or antenna, wherever convenient. Wgt. 5½ lb.

PRICE: £10/1/0

With every HEATHKIT you are assured of advanced circuitry and design, top quality components which are guaranteed to meet performance specifications—all fully imported from Britain or the U.S.A.! Building a HEATHKIT is so easy too—check-by-step instructions are simple

Savings are up to 50% of the cost of comparable equipment.

Savings are up to 50% of the cost of comparable equipment.

Described here are just a few of the HUNDREDS of Heathkits available for Testing, Hi-Fi, Amateur Radio, Marine, etc.

Versatile, Easy-to-use Tube Checker Kit HEATHKIT IC-3



No modern service shop should be without ed. provides for new types as developed, and the state of the state

PRICE: £44/12/0

Low Cost, Reliable R.F. Gen.

HEATHKIT SG-8 R.F. SIG. GENERATOR KIT



Provides extended frequency covering in fundamentals, and on up to 220 Mc. on the fundamentals, and on up to 220 Mc. on the fundamentals, and on up to 220 Mc. on the fundamentals and prediculated colds make calibration unnecessary for garrier gaplies and the fundamental colds and the fundamental fundamental fundamental colds and funda

Melbourne: 359 Lonsdale St. - 67-8351

WF WARBURTON FRANKI

Brisbane: 233 Elizabeth St. - 31-2081 Sydney: 307 Kent Street - - 29-1111

ORDER NOW from your nearest office of Warburton Franki.

Fill out the order blank below, placing your name and address in the space provided at right, and post with your cheque or money out of the provided at right, and post with your cheque or more your metropolitan areas of Sydney, Melbourne, Adelaide and Brisbane. Orders from other areas will be sent "Freight Collect" by Passenger Rall to your nearest Rallway Stution.

Adelaide: 204 Flinders St. - - W 1711

Please send the f	ollowing	Heathkits
Item	Model No.	Price

on	terms,	fill out y. We Paymer	will	ier fo	blank	c and	post

our l	Easy Pay	ment	Plan.			
	Please Plan.	post	details	of	Easy	Pay

NAME	
ADDRESS	

DDF	ESS				
wc	t			STATE	
_	Please	post	free	CATALOGUE	,

Amateur Radio, December, 1960

CAPACITANCE METER

M. NICHOLS.* VK3ABO

IN these days of the increased use of small capacitors in radio equipment. a small capacitors in radio equipment, I have found it necessary to have a suitable instrument to measure them. After a recent experience of going through hundreds of mica, ceramic, and air dielectric types, looking for the particular value of components I required, and endeavouring to decipher the various color codes (of which I have an innate distrust anyhow, there being so many systems in use, particu-larly among disposals equipment), I finally stopped and started to think if there was not some cheap and effective

After considering the many ways by which these capacitors could be measured, I decided to put a few ideas, gathered from various sources, together into something practical.

As can be seen from the circuit, it is based on our old friend the grid dip oscillator and a mutually coupled test

Capacitor C8 should be of the straight Capacitor U8 should be of the straight line frequency type, a single gang broadcast type with two-thirds of its plates removed will do nicely. The distance between L1 and L2 should be about 2 inches, or a distance which

will just permit the dip indication to be observed when the test circuit is resonated. The meter can be any of the various disposals types readily available between 500 μA. and 2 mA. available between 300 AA. and 2 MA.
Having built the "thingummy," switch
it on and stand back. After a few
seconds MI should indicate that the
oscillator is going. With no condenser
fitted at point CX, put C8 in full mesh
or maximum capacity, and adjust C1
till a dlp is indicated by MI.

You are now ready to calibrate. Take a handful of capacitors of known value (if you can read their markings!), fit

* 30 Taylor Street, Clayton, Vic.

them one at a time across the points CX and calibrate the dial of C8 according to the new indication of resonance

by M1.1

This instrument is primarily intended for the measuring of capacitors from 0-1,000 pF, but useful indication can be obtained to 10,000 pF. Accuracy is within 5% to 1,000 pF.

Frequency of oscillation is not im-portant, but if circuit details are fol-lowed it will be about 4 Mc.


The instrument can be built for about 30/-, but I, like most Hams, spent a while scratching in the junk box like the proverbial chicken and after about ten minutes came up with the necessary bits.

About three hours later. with glee, I was further scratching, this time in corners after the many con-densers I had flung with many nasty cuss words, several hours earlier, and in about ten minutes had retrieved enough to more than pay me for the trouble in building the gear—and I still have the "thingummy" for the next

Several of my friends have now built this gadget, and none have reported any difficulty. So heads down, fellows, and like the chicken, start scratching!

[The suggestion is offered that it would be practical to build only the front end of this device, so arranged that it could be plugged into an existing g.d.o., which would then serve as the back end of the unit. If this idea was adopted, it would be necessary to ensure that the input plug system adopted would not introduce stray and variable capacitances into circuit, thereby upcapacitances into circuit, thereby up-setting calibration. A rigid-lead system would be required.—Ed.]

1 By plotting a graph through the calibration points obtained, a more accurate calibration would result. Condensers are generally sold with a plus or minus 10% tolerance.—Ed.



Winding Coils for Low Frequencies


To wind coils for low frequencies. particularly where a grid dip oscillator covering these frequencies is not

available, the problem arises—when are the turns right, etc.

The author's idea was to use a vacuum tube voltmeter, loosely coupled to the coil under test, to measure a rectified r.f. voltage developed from an external source. This didn't work, so a

c.r.o. was tried, and presto! Eureka.

Across the main winding put an empirical value of condenser. Shunt this with a germanium diode and resistor in series, and measure the rectified voltthis to the vertical plates of the scope. and set the sweep frequency for a sub-multiple of the signal generator mod-ulation, say 200 c.p.s. for a 400 c.p.s. ulation, say 200 c.ps. for a 400 c.ps. modulation as in standard service generators. Wind a two-turn link around the coil and couple output of signal generator to this, set attenuator flat out. Adjust generator for maximum deflection, being sure to get the fundamental and not a harmonic. Biggest deflection is fundamental. Adjust coil turns or condenser until desired frequency is obtained.



"Q" multiplier coil was wound on A "Q" multiplier coil was wound on a Ducon ferrite toroidal former using the above method. Frequency was 600 Kc. initially, and after a few minutes trying different values of condenser, we settled for 182 pF. with 63 turns. Of course in the actual circuit, allowance must be made for tube input capacity and strays, so this is about 185 pF. blus a trimmer. pF. plus a trimmer.

pr. plus a trimmer.

Some generators go down to 150 Kc.
so coils down to this frequency can be
easily wound using this method (but
of course you must make friends with
your local tv. serviceman). The actual
job only takes about half an hour, per only takes about hair an hour, per coll, and there is no reason why special high selectivity if.t's, etc., cannot be wound on these toroidal formers—it is just too simple—with the right gear.

To set it up for 85 Kc., use the b.f.o. coil from a BC453, in a simple oscillator

and modulate with an audio tone. This then becomes the signal generator, and home-made i.f.t's. can be easily wound.

G. Clarke, VKSEG.

MORSE TESTS

Commencing on Tuesday, 5th October, and every second Tuesday of each even month, ZKF started Morse Tests on behalf of the N.Z.A.R.T. Test consists of five minutes plain language at 15, 20, 25 and 30 w.p.m., commencing at 1900M hours. No other transmissions will be made on these schedules.
Frequencies of operation are 3324
and 6885 Kc. Time 1700K (E.A.S.T.)

Super Simple Sideband

IAN MacMILLAN,* VK3ZDG

O^N building my second sideband transmitter, and getting it to go, I found that I had a very nice brew of s.s.b., and being charmed by the utter simplicity of it all, I decided to write it up for "A.R."

The circuit is basically that of W6EI, The circuit is basically that of W6EI, published in the 14th edition of the "Radio Handbook," adapted for locally available parts and material.

The exciter itself uses only four

available parts and material.

The exciter itself uses only four valves, from microphone to s.s.b., and the description will be divided between the r.f. section and the audio section.

THE AUDIO SECTION This comprises an EF86 (or any other

favoured tube) as a microphone preamplifier, a 6C4 as an audio amplifier, and a 12AT7 as a pair of cathode followers

Only one non-critical transformer is used, and a commercially available phase shift network is employed, although values are given for those who *1 Norfolk Road, Surrey Hills, E.10, Vic.

would rather brew their own. Provision is made for painlessly switching to either sideband, or for true a.m. (d.s.b. plus carrier).

It is suggested that TI be a plate to 600 ohm line output transformer, as found in many disposals equipment, but almost any audio step-down transparent of the state of the st

The 2K linear potentiometer across the secondary of TI may be replaced by a 500 chm potentiometer with a 1,500 chm resistor connected to one side and a 270 chm resistor to the other. The end of the 1,500 chm resistor should go to pins 1-5 of the phase shift network, and the end of the 270 chm resistor to pins 3-7. This will bandspread the control, and make adjustment easier.

Linear carbon pots., incidentally, have the letter "A" following the value, while ordinary logarithmic pots. have the letter "C".

The 2 µF. 200v. capacitors are Microcap types. Electrolytics should not be used because of leakage, but if you've got the room for some old fashioned "blocks" out of your junk box, by all means use them.


The pair of 1K ohm resistors in the cathode of the 12AT7, and the pair on the other side of the audio switch, should be fairly well matched, and a check with the ohm-meter is in order.

THE R.F. SECTION

This consists of a 12AU7 crystal oscillator (or a v.f.o., or to taste) driving two germanium diode balanced modulators and utilising an R/C phase shift network for the r.f.

network for the r.f.

The r.f. phase shift network is a bridge type, with Cl and Rl providing +45°, C2 and R2 —45°, the resultant voltage being 90° with respect to the



input voltage. The only thing you have to know is that Xc = R at the frequency of operation.

At 4.6 Mc. (which is the frequency I used), R=51 ohms (go through a few 47 ohms 5% I.R.C. types), C=680 pF. ±5% (select a couple the same with the aid of the bridge you'll find at many radio parts stores; if no bridge, don't lose any sleep over it).

Don't let the balanced modulator circuit scare you—just look at the lay-out diagram! By the way, when solder-ing R1 and R2 into the circuit, use a pair of pliers as a heat sink to avoid changing their values. The tuned circuit has not been described, as the details will depend on the size of your former, the type of slug, and whether or not it is shielded—not to mention the frequency. I had 16 turns on 2" diam., but use a g.d.o. for this job.

GETTING IT TO GO

1. Equipment required: (a) One receiver,

(b) One head (well screwed on).

(c) One source of audio (whistles in mike; preferably audio oscillator, b.f.o. note from another receiver, what-have-you).

2. Equipment NOT required:

(a) Cathode ray oscilloscope, (b) Vacuum tube voltmeter.

(c) Electro-encelograph, (d) Geiger counter, (e) Digital computer,

(f) Super sine wave oscillator. Note.-If you have c.r.o's., etc., know how to use them, you won't be reading

this, and if you staunchly maintain that you cannot align an s.s.b. exciter without elaborate equipment:

(a) You've never played with one, (b) You've never tried to align one without gear,
(c) You don't have (b) in 1 above.


Now having been moderately facetious, let's get down to tintacks. Connect a piece of shielded wire, centre to slider of the 200 ohm sideband balance pot, outer to earth (common point in diagram). Hook the other end to your negrani). Hook the other end to your receiver and tune the latter to the crystal frequency. Apply voltage (very well filtered B+) to the exciter. Tun-bef.o. on, receiver on. Adjust oscillator coil for maximum output. Make sure the function switch is an the function switch is on one of the sideband positions and then adjust the carrier balances for a null (the two 1K pots.). If you can't get a null, you've either made a blunder or you've got a


poor diode somewhere. If you can, it should be quite sharp. If the best you can do leaves a carrier with a T5 note, your h.t. is not filtered enough, or heater voltage hum is appearing. Your carrier has gone, but you are left with a couple of 50 or 100 c.p.s. sidebands. If these are fairly weak in the receiver, don't fret too much, as odds are they won't be very strong on the transmission.

Now pipe some tone, the sine-er the better, into the mike input, keeping the level down. Make it about 1 Kc. if you can (C above middle C on your piano is about 1280 c.ps.). Turn the b.f.o. off on the receiver and adjust the sideband balance control (200 ohm pot.) and the audio balance (2K, or 200 ohm with series resistors) for minimum audio tone. Put the function switch in the other sideband position and repeat.

Go back and forth between the two deband positions, making the adjustsideband positions, making the adjust-ments until you have gone as far as you can go. Now turn the b.f.o. on and you can go. Now turn the b.f.o. on and louder than the other. Identify the weaker sideband's note and adjust again to remove it. Swop sidebands and do this again until one sideband is way down and the other is paralytic, and this situation exists no matter which (Continued on Page 9)

OSC. & BALANCED MODULATOR CIRCUIT AUDIO 2 AUDIO 1 12AU7 2/0A79 ERFC. 200'A ₹100K -001 ALL POTS LINEAR CARBON TO AMPLIFIER 330





TASMANIA TAKE HONOURS AGAIN

Contest. REMEMBRANCE DAY CONTEST 1960 RESULTS Total Average

Licen-

274

Entry age Average Poin

84 30.7 160 408 5495

> 248 241 216 2AYL 2CR ... 2XT 2ADM 2IJ 2XS 2RJ ...

Cont. Pts. VK2GW ..

Open-

CONGRATULATIONS go to the Tasmanian Division for winning the Memorial Trophy for the second time in succession from the Western Aus-tralian Division. Tasmania had the tralian Division. Tasmania had the highest participation percentage of all the States, the second highest State log average, but was nearly bottom so far as the average of the top six logs is concerned. Despite the vast difference concerned. Despite the vast difference in the number of licensees between the States, there was very little difference between the number of logs entered from four of the six States. All sections of the Contest were keen-

An sections of the Contest were Keenly contested and many fine scores were
recorded. Highlights of the Contest
were the high log scores achieved by
VKs 2AHI, 5FT and 0WH in the Phone
Section; VKs 5NO and 6RU in the Open Section, and Messrs. Grantley, Smythe,

State

New South Wales

Victoria

Queensland

South Australia

Western Australia

Tasmania

Wehr and de Balfour in the Receivir went and de Bailour in the Receivir Section. All these had scores over 1,00 points. VK2QL's score of 552 in the C.w. Section was the highest for som years. The Northern Command Signa Amateur Radio Club's score of 1,350 i the Receiving Section was commendable as a group effort.

as a group enor.

The repeated wins over the histor of the Contest by the numerical smaller States shows how difficult it for the larger States to win the Cortest under the present scoring system Much thought has been given to the matter in the past, but no new formul has been devised to make the Conte Committee would greatly appreciationary concrete suggestions for improving

the scoring system in this very popula

Log Percent- Log

6.82 247 2262

State Tota

Stat

50 43

31

		VICT	ORIA
Top	Six	Logs-	Points

		VK3APJ 3ADW 3AXT 3ALZ 3AIT	971 900	
		SAXT	900 	
ng		SAIT	790	
00	Phone-	SAUG	740	
ne ne		Cont. Pts.		Cont. Pts.
ls	VK3APJ -	331 971 321 900	VK3ATS 3AGV 3AHG	- 60 208 - 75 197 - 68 194 - 65 186 - 61 166 - 50 157 - 41 138 - 33 138 - 35 132 - 40 117 - 35 116
in	SADW SAXT	321 900 303 856 269 790	SAHG	- 68 194
le			SAEL .	65 185
·v	3DF	221 644	3JC 3SX 3JE	- 61 166 - 50 157 - 41 136 - 33 135 - 56 132 - 86 125 - 40 117
y ly	3LW	202 552	3JE	. 33 135
is	3AZM .	. 176 484 . 137 467	SAPS	85 132
n.	3VL	153 448	3AZA	40 117
is	3VL 3ABT 3QV 3BB 3AUL	142 425	3KI	35 116 43 116 37 113 43 110 40 102 38 99 46 98 30 94 18 84 27 70
la	3AUL	180 423	3RI 3ADU 3YA 3AZR 3AUC 3NX 3AMN 3VQ 3LC 3SM	37 113 43 110 40 102 38 99 46 98 30 94 18 84
st	3KC	149 400 158 387 150 385 147 383	3AZR -	40 102 38 99 46 98 30 94 18 84
st te		147 383 141 379	3NX	46 98
ng	3AHA 3AGD		3AMN -	30 94
ar	3NJ		3LC	36 81 27 70 31 66 18 58 24 53 21 28 11 28 11 28 11 28 10 16
	SADD .	108 297 105 283	30M	_ 31 68
	3ADD 3ARJ 3AFF 3GW 3ATR	105 283 100 280 101 272	30M 3DU 3ZK 3AWF 3PZ 3ALJ 3WI	- 31 68 - 30 60
	3GW		3AWF	. 16 56 . 24 53
	3ATR .	. 61 265 . 90 257 . 100 239 . 93 238 . 80 224 . 90 220	SALJ	- 26 52 - 15 34 - 11 28
el e	3DZ	90 257 100 239 93 238 80 224 90 220	3WI	_ 11 28
ts	3ATP	93 238	3RN 3ACN 3AKW	- 12 26 - 10 26 - 10 16
7	3ZU	90 220	JAKW	- 10 16 - 8 15
2	3ATR 3DQ 3DZ 3ADL 3ATP 3ZU 3YQ 3ASB	74 217 60 216	JO	8 15
1	Open-			
2	Орен-	Cont. Pts.		Cont. Pts
1	VK3ALZ 3APV	255 806	VK3UJ	50 19
5	3KB	125 399	3DG 3PG	. 50 130 . 33 100 . 14 31 . 7 18
20	3XE	120 278	3PG	7 18
100	C.w.—			
		Cont. Pts.		Cont. Pts
ts.	VK3ZA	90 207 47 122	VK30H	. 19 61 . 19 43
10	3AFQ 3CX 3ARX	43 117 63 109	3XQ	20 40 11 20
99 96	3ARX 3NK	43 117 63 109 46 97	3KS	- 19 61 - 19 41 - 20 44 - 11 24 - 9 21
96		Check Log		
91 90 87				
		QUEEN	SLAND	
79	Top Six			
62 61	Top Six	THEATTE	Points 958	
56 54		4RH	747	
51 45		4WJ	595	
		4ZB 4OM	539 425	
38	Phone-	44.00	420	
28		Cont. Pts.		Cont. Pts
28 23	VK4UX 4WJ 4OM	350 958	VK4KM	49 100
21 19	40M	232 728 188 539 153 425	4AF	33 92
15	4TM	350 958 232 728 188 539 153 425 112 362	4HZ	20 72
15				49 100 33 93 38 93 30 56 30 56 31 56 24 46 24 46 15 33 13 34 13 24 13 25
6	4ER	101 261 121 256 24 254 82 246 85 223 71 219 57 197 61 176 62 141 58 134 41 128	4JR	- 14 48
	4NS	82 246 85 223	47.P	- 24 40
ts.	4BQ	71 219	4BX	- 13 3
58	4HC -	57 197 61 176 62 141 58 134 41 128 34 108	40L	- 13 2
152	4NG -	62 141	4WS	- 9 16
24	4ZZ 4LB	- 58 134 - 41 128		- 13 17 - 9 16 - 6 16 - 11 11 - 5 11
	4LA	34 108	4CN	- 5 1
	aWO	41 106	2WD	- 6 6

STATE TROPHY	Phone— Cont. Pts.	
Pasmania 5495 points	VK2AHH 338 1011	VKIPM
HIGHEST STATE LOG AVERAGE	2PN 263 681 2YN 209 560	2ALU 2AXT
HIGHEST STATE LOU AVERAGE	2 X IN 209 500	
/ictoria 247 points	2AEB 177 509	2ADT
Actoria zar pomes	2AKF 150 396	2CO
	2AXI 165 386	2AJL
SECTION LEADERS	2OH 148 360	20M
	2VU 118 305	2AAT
pen— Points	2SJ 109 296	2RX
TK2BO_E I. Andrews 908	2XP 102 281	2APQ
		2AKX
3ALZ-I. F. Berwick 806	2AIA 98 271	
	2ASQ 67 250	2ACQ
	2CK 93 248	IVP _
5NO-L. H. Vale	2AIM 101 241	2AYL
6RU-J. E. Rumble 1105	2AQJ 87 216	2GI
6RU—J. E. Rumble 1103	2AWF 101 215	2CR
7DK-D. H. Kelly 750	2JS 71 202	2AMA/
9XK-S. R. Coleston 213	2DE 100 177	2XT
	2ADA 74 164	2ADM
0IT-I. N. Thomas 330	ZADA 74 164	ZADM
	2ACD 39 162	2IJ
Phone—	2MW 52 137	2XS _

State

Score

16735 856 1390 84 6.04 199 1867

20797 844 1261

8914 665 443 48 10.8 186 1631

17670 919 478 78 16.3 227 3802

13444 862

12330 781 136 52 38.2 237

4RH-A. L. Hoev		747
5NO-L. H. Vale		1227
6RU-J. E. Rumble		1105
7DK-D. H. Kelly		
9XK-S. R. Coleston		213
0IT-I. N. Thomas		330
011—1. N. Inomas		000
Phone-		
VK2AHH-N. A. Hanson		1011
3APJ-P. J. Dettman		971
4UX-C. P. Singleton		
5FT-F. K. Tapley		1049
6CL-I. H. Clinch		980
7RX—K. A. Johnston		071
TRA-K. A. Johnston	****	311
0WH—H. L. Wright		1920
C.w.—		
VK2QL-F. T. Hine		552
3ZA-L. T. Frith		207
4JF—J. C. Files		217
TOP TO THES		
5BS-K. D. Halsall		276
6VK-V. J. Kitney		
77.7. I A. Nichols		227

N	EW	SO	U	CH	1	WALES	
op Six	Log	s-			,	Points	
	VI	K2AHI	1			1011	
		2BO				908	
		2RS			-	883	
		2DO			****	879	
		2AH	4	****	****	771	

2RS	287	883	2ADE		. 7		249 152
2AHM .	251	771	2EU		5		124
C.w.—							
	Cont.	Pts.			Con	ıt.	Pts.
VK2QL	179	552	VK2ARZ		. 2	14	68
2EL		336	2ALQ		2		59
2YB	124	349	2HZ		3	12	55
2AXK		267	2ATQ		1		37
2AKB	_ 67	210	2YC				28
2GT	_ 62	170	2ZO _		1		28
	_ 50	142	2AUC	-			25
2HV	- 47	140	2ASC	-	1		23
20W	_ 33	106	2JM			9	21
2EO		72	2AAH			5	12
	Chec	k Log:	VK2NF.				

K4RH		-		278	747	VK4XJ	-	_	-
4ZB			**	203	595	4GH			-
.w									
			C	ont.	Pts.				Co
K4JF				79	217	VK4LT			
4KE				62	166	4CK	-		
4XW	-	-		60	165	4HH			-
4SD	-	-	**	45	134	4GZ	-	**	-

Open-

C

To

ont Die

Fon Si	SOUTH A	USTRALIA		C.w.— Cont. Pts.	Cont. Pts.	
TOP SI	VK5NO	1227		VK6VK 107 276 6AJ 80 230 6WW 38 117	VK6RP 10 22 6MF 9 22 6EF 7 19 6JA 7 16	
	5FT 5WO 5MS	1013		6UF		
	SEU	759 689		6IG 10 27 Check Log: Ineligible:		
Phone-	Cont. Pts.		nt. Pts.	Ineligible:	VK6ZAL.	
2342	360 1049 290 778 233 680	VK5CJ	55 91 36 88 48 87	TASM	ANIA	1
5QX 5XM 5PE		5JN	32 86 35 79	Top Six Logs-	Points	
5GG 5AV 8EW	221 589 223 544 198 543 174 528	5PS	20 69 18 66	7RL		,
SEE	123 355 120 346 76 281	5TW	17 63 23 53	7DK 7SM	750	
5LQ 5IM	76 281 92 264 122 240	5PS	11 50 10 45 20 39 24 35	Phone-	600	5
5TM 5TJ 5GF		5MA 5DO		Cont. Pts. VK7RX 362 971 7RL 311 848	Cont. Pts. VK7PF 26 53	,
5LL	79 176	5JB 5XA 5KX	13 26 20 26	7MF 301 778	TPJ 25 47 TWI 21 46 TJD 10 38	
5DF 5OK 5HA	75 154 63 151 77 146 34 142	5KX	18 24	7SF 236 566	75P 10 29	
5WH 5OV	77 146 34 142 67 130 49 128	5HV	5 20	7AI 2184 456 7MX 201 453 7DW 131 377 7CK 91 358 7TT 153 353	7CF 17 27 7CA 23 26 7JO 14 22 7AB 14 21	1
5RR 5XV 5JO			10 51 11 11	7XL 129 253	7FM 9 19	1
5OC 5KY	45 127 27 118 37 96 28 91	5PU	5 5	7LL ': 111 216 7MY 54 130 7DS 44 119	7RM 18 18 7BT 12 16 7AL 8 15	
Open-				7DA 84 100	7TE 14 14	7
VK5NO	Cont. Pts.	VK5JT 1	nt. Pts. 00 286	7BQ 42 98 7DR 14 70 7FJ 53 70	7SJ 6 12	1
5WO 5EU 5WC 5TC		SLD SKU	76 137 49 127 40 102	Open— Cont. Pts.	Cont. Pts.	
STC	264 689 179 592 117 304	5HM 5JG 5NQ	40 102 37 91 38 80			
C.w.—			5 10	7SM _ 256 673 7KA . 237 688 7KS _ 234 655 7LZ _ 165 496	7MZ 125 251 7YY 52 153 7GV 29 43 7YL 7 32	
respe	Cont. Pts. - 155 466 - 147 403 - 116 342	VK5TL Co	nt. Pts. 40 106	7LZ 165 496	7YL 7 32	
5MY 5RP	- 147 403 - 116 342 72 224	5RK 5BZ	28 93 24 84 37 80	C.w.— Cont. Pts.	Cont. Pts.	1
5XK 5MY 5BP 5FM 5OR	- 155 466 - 147 403 - 116 342 - 72 224 - 80 213 - 41 131	5JE	28 93 24 84 37 80 22 79 22 52	Cont Pts	VK7JR 30 74	
SOR	80 213 41 131	3MZ	28 93 24 84 37 80 22 79 22 52	Cont. Pts.	********* *** ***	
SOR V	80 213 41 131	5RK 5BZ 5JZ 5RX 5MZ	28 93 24 84 37 80 22 79 22 52	Cont. Pts. VKTZZ 93 227 TRY 96 215 TLJ 80 210 TBJ 53 135 PAPUA/NEV	VK7JB 30 74 7AG 19 40 7CH 8 21	8 E
SOR V	VESTERN A x Logs—	AUSTRALIA Points	28 93 24 84 37 80 22 79 22 52	Cont. Pts. VK7ZZ 82 227 TRY 83 215 TLJ 80 210 TBJ 83 135 PAPUA/NEV Open— VK9XK	VK7JB 30 74 7AG 19 40 7CH 8 21 V GUINEA Cont. Pts. 64 213	W W W
SOR V	VESTERN A X Logs VKSRU 6CL 6HK 6KK	Points	28 93 24 84 37 80 22 79 22 52	Cont. Pts. VKTZZ - 96 227 TRY - 96 215 TLJ - 80 210 TBJ - 80 210 PAPUA/NEV	VK7JB 30 74 7AG 19 40 7CH 8 21 V GUINEA Cont. Pts. 64 213	8 E
Fop Si	VESTERN A X Logs VK6RU 6CL 6HK 8KW 8WW	Points	28 93 24 84 37 80 22 79 22 52	VK7ZZ 93 227 TRY 93 227 TRY 95 215 TLJ 80 210 TBJ 83 135 PAPUA/NEV Open VK9XK Check Log: ANTAR	VKIJB 20 74 7AG 19 40 7CH 8 21 V GUINEA Cont. Pts. 64 213 VK9RM. CTICA	8 E
Fop Si	VESTERN A x Logs VK6RU 6HK 6WD 6AD Cont. Pis.	Points	nt. Pts.	Cont. Pts. VK7ZZ 83 227 TRY 80 217 TRY 80 210 TBJ 83 135 PAPUA/NEV Open— VK9XK Check Log:	VK71B 30 74 7AG 19 40 7CH 8 21 V GUINEA Cont. Pts. 64 213 VK9RM.	8 E
Fop Si	VESTERN A X Logs— VKGRU 6CL 6HK 6WD 6AD Cont. Pts. 375 966 303 761 265 729	Points - 1105 - 986 - 987 - 781 - 729 - 653 - VK6GU Ca	nt. Pts. 25 51 20 44	VKTZZ	VKJB 30 74 7AG 19 40 7CH 18 21 V GUINEA Cont. Pts 64 213 VKSRM. CTICA Cont. Pts 85 320 Cont. Pts 65 720 Cont. Pts 65 720 Cont. Pts 65 720	8 E
Fhone- FACL 6KW 6WD 6AD 6BU	VESTERN A X Logs— VKGRU 6CL 6HK 6WD 6AD Cont. Pts. 375 966 303 761 265 729	Points - 1105 - 993 - 993 - 983 - 983 - 983 - 781 - 729 - 653 VK8GU - 653 VK8GU - 6WM - 6WG -	nt. Pts. 25 51 20 44 15 41 14 40 16 40	VK7ZZ	VKIJB 20 74 7AG 19 40 7CH 8 21 V GUINEA Cont. Pts. 64 213 VK9RM. CTICA	8 E
Fhone- FAGCL 6KW 6WD 6AD 6BU 6WL 6XO 6XO 6XO	VESTERN A X Logs VKSHU GILK GIK GWD GAD Cont. Pis. 233 549 222 633 140 387 131 332 132 341 333 349	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VKTZZ	VKTIB 30 74 7CH 30 40 7CH 3 40 7CH 3 41 V GUINEA Cost Pts. VKSRM. CTTICA Cost Pts. 50 Cost Pts.	8 E
Phone- FK&CL 6KW 6MD 6BU 6KD 6KD 6KD 6KD 6KD 6KD 6KD 6KD	VESTERN A **Logs— **VKERU — 6CL **GEXW — 6WD **GWD — 6WD **GWD — 285 729 **Logs— **Logs— **Cont. Pts. **375 966 **Logs — 285 729 **Logs — 285 729 **Logs — 285 729 **Logs — 285 729 **Logs — 131 339 **Logs — 131	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VKTZZ Cont. Pis. VKTZZ S 28 287 TH 2 80 287 TH 3 80 287 PAPUA/NEV Open— VKDXK Check Log: ANTAR: VKDYK VKOYK Check Log: VKDYK VKOYK V	VKTIB	i l
Phone-PK6CL 6KW 6WD 6AD 6WL 6XO 6XD 6CS 6CS 6CS 6CS	VESTERN A Logs VKERU GUL GUL GUL GUL GUL GUL GUL G	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VKTZ	VKC11B	i i i i i i i i i i i i i i i i i i i
Phone-PK8CL 6KW 6WD 6AD 6AD 6KW 6WL 6KK 6KW 6KK 6KK 6KK 6KK 6KK 6KK 6KK 6KK	VESTERN A Logs VKERU GUL GUL GUL GUL GUL GUL GUL G	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VKTZ	VKC11B	e e e e e e e e e e e e e e e e e e e
Phone- FASCL 6KW 6WD 6AD 6AD 6EXR 6CW 6CS 6CR 6CR 6CR 6TR	- 26 263 - 41 131 - 4	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VKTZ	VKC11B	i i i i i i i i i i i i i i i i i i i
Phone-	- 26 263 - 41 131 - 4	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VXCET Cont Pk. VXCET Phone VXCET VXCET Phone VXCET VXCET Phone VXCET VXC	VKC11B	i i i i i i i i i i i i i i i i i i i
Phone-	- 26 263 - 41 131 - 4	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VXCET Cont Pk. VXCET Phone VXCET VXCET Phone VXCET VXCET Phone VXCET VXC	V GUINEA COLL PA V GUINEA COLL PA V GUINEA COLL PA	i i i i i i i i i i i i i i i i i i i
SOR VIOLENT SON	- 26 263 - 41 131 - 4	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VEX. Cont. Pk. 20 27 1 17 17 17 2 2 2 2 2 2 2 2 2 2 2 2 2	V GUINEA COULTEA CO	i i i i i i i i i i i i i i i i i i i
SOR	### A 201 WESTERN ### X Logs— *** Karan	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	VXCE Cont Part of the Control of the	V GUINEA **CONT - B 21 **V GUINEA **CONT - B 21 **V GUINEA **CONT - PIR **CONT -	i i i i i i i i i i i i i i i i i i i
V V Frop Si V V Frop Si V V V V V V V V V V V V V V V V V V	VESTERN A	VISATRALIA Points Points 100 100 100 100 100 100 100 1	nt. Pts. 1255 514 41 41 115 409 115 34 115 3	VXCE Cont Part of the Control of the	V GUINEA **CONT - B 21 **V GUINEA **CONT - B 21 **V GUINEA **CONT - PIR **CONT -	i i i i i i i i i i i i i i i i i i i
SOR	### A 201 WESTERN ### X Logs— *** Karan	Points	nt. Pts. 25 51 20 44 114 40 16 40 115 40 113 39	Cont Part	V GUINEA **CONT - B 21 **V GUINEA **CONT - B 21 **V GUINEA **CONT - PIR **CONT -	i i i i i i i i i i i i i i i i i i i
Fhone- FRECL SKW SCH SKW SCH SKW SCH SKW SCH SKW SCH SCH SKW SCH	WESTERN # Loss #	VISOR LIA Points Poi	nt. Pts. 1255 151 255 250 441 41 41 41 41 41 41 41 41 41 41 41 41	Oent Part Variety of the Control of	V GUINEA Cont. Pia. V GUINEA Cont. Pia. Cont. Pia.	i i i i i i i i i i i i i i i i i i i
Phone- VKSCL SKW D SW	WESTERN # Loss #	USSTRALIA Politio 1106 1206 1207	11. PL. 1. 12. 22. 22. 22. 22. 22. 22. 22. 22.	Open—VASTA	V GUINEA Cont. Pia. V GUINEA Cont. Pia. Cont. Pia.	i i i i i i i i i i i i i i i i i i i
Fhone- FRECL SKW SCH SKW SCH SKW SCH SKW SCH SKW SCH SCH SKW SCH	WESTERN & Lose 1	VISOR LIA Points Poi	nt. Pts. 1255 151 255 250 441 41 41 41 41 41 41 41 41 41 41 41 41	Open—VKEKK	V GUINEA Cont. Pia. V GUINEA Cont. Pia. Cont. Pia.	i i i i i i i i i i i i i i i i i i i

L3069	E. G. Hutchins	. 494 ,,
1.3074	J. M. Hilliard	
1.3006		
L3076	R. Young	407
L3077	D. Fraser	. 379
L3086		
	C. J. Walker	
	F. Seeber	
T.3072	T. Hayward	. 167
T.3087	J. Donald	
		. 120 ,,
Queenslar		
	Northern Command S	ignals
	Amateur Radio Club	
	C. T. Taylor	. 496 ,,
	H. Gwillim	. 318
WIA-L2136/	VK4 A. Westcott	
L2401/	VK4 J. G. Sheard	
1.1101/		
	T. A. Lane	. 253
	L. O. Tully	. 250 ,,
	J. F. Easlea	
South Au		
WIA-L5026	G. Smythe	. 1093 pts.
	K. A. Wehr	. 1028
L5030	T. Hutchesson	
L5020	F. W. Aslin	
	Miss O. J. Martin	507
L5034	H. J. Harvey	
L5031		
	C. M. Hutchesson	. 374
*** .		
western .	Australia—	
	B. Wedemeyer	. 613 pts.
WIA-L6003	F. H. Price	
T.6005	D. S. Pratt	
L6005	D. S. Pratt	
	P. Drew	
L8002	Mrs. R. S. Hardwick	
Tasmania		
~		1100
	R. A. de Balfour	
WIA-L7004	R. E. Rogers	. 835
	G. Johnston	473
L7010	W. Appleby	
L7007		
L1001		
	G. Ranft	
L7013	N. Fisher	. 13

L3042 E. Trebilcock 601 ,,

NATIONAL FIELD DAY, 1961

The National Field Day Contest for 1961 will be held on Saturday, 11th, and Sunday, 12th February, 1961. Rules are the same as for the 1990 Contest and will be published in the January issue of "Amateur Radio." Sections in the Contest are as fol-Sections in the Contest are as fol-

- s:—
 (a) Portable/Mobile Transmitting,
- Phone.
 (b) Portable/Mobile Transmitting,
 C.W.
- C.W.
 (c) Portable/Mobile Transmitting
- Multiple Operators, Open.

 (d) Fixed Transmitting Stations working Portable/Mobile Stations, Open.
- tions, Open.
 (e) Reception of Portable/Mobile Stations.

Last year's Contest showed an inreased popularity and it is hoped that his year's will be even better—and lrier! There is a section in this Contest o suit everyone so start preparing now or it and make this Contest the best et.

UNIFORMS DUST COATS

DUST COATS for your Office Staff, Factory,

Workshop, Servicemen.

Bowls Frocks, Tennis Frocks,
for the retail trade.

D. MILBURN & CO.

Railway Avenue, East Malvern,
S.E.5. Vic. Phone: 211-3131



zener diodes \$

voltage stabilisation down to exceptionally low currents



	VO	LTAGE	(V)
5% Tolerance Range	Nominal	Min.	Max
OAZ200	4.7	4.4	5.0
OAZ201	5.1	4.8	5,4
OAZ202	5.6	5.3	6.0
OAZ203	6.2	5.8	6.6
OAZ204	6.8	6.4	7.2
OAZ205	7.5	7.1	7.9
OAZ206	8.2	7.7	8.7
OAZ207	8.1	8.6	9.6
15% Tolerance Range			. 30
OAZ208	4.2	3.3	5.0
OAZ209	5.1	4.4	6.0
OAZ210	6.2	5.3	7.2
OAZ211	7.5	6.4	8.7
OAZ212	9.1	7.7	10.6
OAZ213	12.2	9.4	15.0

Voltage stabilisation down to exceptionally low currents is provided by Mullard Zener Diodes. This feature is particularly marked in the higher voltage types where stabilisation is provided at currents as low as one milliamp. In all types the dynamic impedance is low and the zener characteristic is very sharp.

Two ranges of these diodes are available. One with approximately ±5% tolerance voltages, and the other with approximately ±15% tolerance voltages. In both ranges the change of zener voltage with temperature is only very small, and the operating temperature is from −55 to +150°C.



MULLARD-AUSTRALIA PTY. LTD., 35-43 CLARENCE ST., SYDNEY BX 2006 123-129 VICTORIA PDE., COLLINGWOOD, N.5, VIC. — 41-6644 ASSOCIATED WITH MULLARD LIMITED, LONDON, MULLARD EQUIPMENT LIMITED. MULLARD OVERSEAS LIMITED

COMMUNICATIONS AND INDUSTRIAL VALVE DEPARTMENT

MT99

THE CRYSTAL CALIBRATOR No. 10

A beat frequency r.f. generator is available on the English disposals market¹ which may be of interest to Hams who need a compact measuring device. It was built for use with the No. 62 set and plugged into a socket on this

set.

A v.f.o. covering from 250 to 500 Ke. is fed into a mixer through a band pass filter which filters out all the harmonics. A harmonic generating crystal oscillator of 500 Ke. is fed into the same mixer—these harmonics extend at least to 30 Me. Thus for every crystal harmonic, there are two resultant freouencies produced at the output of

the mixer.

A little simple arithmetic will reveal
that for every dial position there will
be four calibrations marked, and to
complete the reading one simply places
an even megacycle figure before the
calibration.

For example, when the v.f.o. is on 380 Kc.:-

Odd crystal harmonic (say 2.5 Mc.) plus 380 Kc. from v.f.o., gives 2835 Kc. Odd crystal harmonic (say 2.5 Mc.)

minus 380 Kc. from v.f.o., gives 2120 Kc.

Even crystal harmonic (say 3 Mc.) plus 380 Kc. from v.f.o., gives 3380 Kc. Even crystal harmonic (say 3 Mc.)

Even crystal harmonic (say 3 Mc. plus 380 Kc. from v.f.o., gives 2620 Kc.

1 These calibrators are advertised in "Wireless World" and can be obtained from the various advertisers. Ed.

W.I.A. D.X.C.C.

Listed below are the highest twelve members in each section. New members and those whose totals have been amended will also be shown.

PHONE

On the dial, the figures, in this case, 835, 620, 380 and 120, appear underneath each other. Each division on the dial represents 2 Kc. irrespective of the harmonic being measured, and interpolation to read 500 Kc. is quite easy. As always an absorbtion type waveis always and absorbtion type waveis in doubt.

In the grid circuit of the crystal oscillator there is a neon tube arranged to discharge at the rate of about one c.p.s. This enables the output of the meter to be positively identified and it sounds something like WWV.

There are three tubes plus the neon, two IT4 types and one IR5. There is

There are three tubes plus the neon, two 1T4 types and one 1R5. There is no provision for mixing the output of the meter and the signal to be measured, so a receiver is necessary to hear the best note.

The power supply needed is 12 volts d.c. for the filaments (there seems no reason why these could not be changed for 1.5v. operation) and about 300v. ht. Physically the unit is quite small, it measures 7 x 7½ x 4 inches deep, and is very robust indeed. It arrived com-

Physically the unit is quite small, it measures $7 \times 7^{\frac{1}{4}} \times 4^{\frac{1}{4}}$ inches deep, and is very robust indeed. It arrived complete with carrying case, cables and spare valves, and was in new condition just like the advertisement stated. Test instruments apparently are not subject to customs duty, and the cost, including postage and customs agent's fee, was under £10.

-P. C. Ryan, VK3AZR.

"CQ" WORLD-WIDE S.S.B. CONTEST
The Contest commences 1500 GMT, Sat., 28th
Jan., 1961, and concluded at 2100 GMT, Sun.,
29th Jan., 1961, with only 24 hours of operating
permitted.

permitted.

The object is to work as many stations and as many prefixes on s.h. as possible (VKI, VKI, VKI, etc., count as separate prefixes).

MIX, VKI, act., count as separate prefixes).

mitted, and no multipliers for multiband operation allowed.

The six hours of non operation must be consecutive, and must be clearly designated in the secutive, and must be clearly designated in the state of the consecutive and must be clearly designated in the state of the consecutive and must be clearly designated.

school of the state of the stat

Include states presented the control of the control

th March, 1961.

"OK" DX CONTEST

December 4, 1960, 0000 GMT to 1200 GMT.
2. C.w. only. (VK stations to contact OK

2. C.W. stations.)
3. Bands: 3.5, 7, 14, 21 and 28 Mc. (one contact with each station on each band).
4. VK stations to call "TEST OK".
5. Exchange six figure number group (RST and three figures representing number of con

the the control of the complete two-way control.

6. Three points for complete two-way control.

Certarl Radio Glub, Box 69, Prayse 1, Carcho-Certarl Radio Glub, Box 69, Prayse 1, Carcho-Certarl Radio Carcho Glub, Box 69, Prayse 1, Carcho Glub, Callined, and this statement—received, pts. Calsined, and this statement—in the carcho Glub, Carcho Glub, Calcined, and this statement—in the carcho Glub, Carcho G

SUPER SIMPLE SIDEBAND
(Continued from Page 5)

sideband is selected. You now have pretty reasonable s.s.b., and your mate who owns a c.r.o. may pull his head in if you get him to check it!

Incidentally, if you find you have u.s.b. with the switch at l.s.b., and vice-wersa, don't fret, just swop wires A and B on the audio output, although you'll probably have to readjust the thing you do this. Of course the easy the switch after you find out!

Now all you have to do is add a few amplifiers and mixers, and if anybody is interested we can tell you how to do these things the easy way in another article.

Low Drift Crystals

FOR

AMATEUR BANDS

ACCURACY 0.02% OF STATED FREQUENCY

3.5 Mc. and 7 Mc.

Mounted £2 10 0

Mounted £3 0 0

12.5 and 14 Mc. Fundamental
Crystals, "Low Drift,"
Mounted only, £5.

THESE PRICES DO NOT
INCLUDE SALES TAX.
Spot Frequency Crystals

Prices on Application.

MAXWELL HOWDEN

15 CLAREMONT CRES., CANTERBURY, E.7, VICTORIA

	Cer. C'nt-		Cer. C'nt-	ī
Call	No. ries	Call	No. ries	
	2 247	VK6KW .		
	43 243	VK4HR .		1
VK3WL	. 14 211	VK3EE .		
VK3ATN	26 204	VK9DB .	31 161	
	New M	embers:		
VK3GB	. 50 171	VK2AOU	49 100	
	Amend			
VK4DO	20 152	VK2AHH	41 135	
VALDO	. 20 102	VALARIN	41. 199	
	C.	W.		100
	Cer. C'nt-		Cer. C'nt-	
Call	No. ries	Call	No. ries	
	. 10 283	VK4HR .		•
	. 26 270	VK3XU .		
		VKERU		
				1
VK3BZ			. 2 191	
	Amend			
VK4DO	. 20 184	VK2AHH	62 130	
VK4SD	. 52 158	VK6KW .	. 40 116	
	OP	EN		1
	Cer. C'nt-		Cer. C'nt-	4
Call	No. ries	Call	No: ries	
VK2ACX	6 282			
			. 4 231	
	. 32 265	VK3HG .		9
VK6RU	. 8 263	VK3WL .	. 45 225	
VK6MK	. 74 247	VK3XU .	. 61 221	
VK3NC	. 77 238	VK6KW .	. 13 216	1
VK4HR	. 7 233	VK3JE .	12 210	
	New M	lember.		1
		. 80 102		

VK4DO

Amendments: 15 203 VK2AHH 73 173



SPECIAL_WHILE THEY LAST!

MODEL 4/103 V.F.O. UNIT EXCITER

FREQUENCY RANGE: 144-148 Mc.

R.F. Power Output: Sufficient to drive an 832 or 2E26. Valve Line-Up: Two 6CL6 oscillator multipliers, one 12AT7 multiplier, and

one 5763 driver The unit incorporates two different oscillator multipliers, one variable for establishing communication, one crystal-controlled fixed frequency oscillator for working.

£8/-/- EACH (Valves Extra)

AIR. WOHND INDUCTANCES

	H. I. W.		U II III I	CLIS		
	T	B. & W.				
No.	Diam.	Inch	Length	Equiv.	Price	
1-08	1"	8	3"	No. 3002	5/3	
1-16	1"	16	3"	No. 3003	5/3	
2-08	5"	8	3"	No. 3006	6/3	
2-16	5"	16	3"	No. 3007	6/3	
3-08	3"	8	3"	No. 3010	7/4	
3-16	3"	16	3"	No. 3011	7/4	
4-08	1"	8	3"	No. 3014	8/5	
4-16	1"	16	3"	No. 3015	8/5	
5-08	117"	8	3"	No. 3018	10/6	
5-16	14"	16	3"	No. 3019	10/6	

Take the hard work out of Coil Windinguse "WILLIS" AIR-WOUND INDUCTANCES

"WODEN" MULTI-MATCH MODULATION TRANSFORMERS

- Features-* Potted type compound filled (vacuum impregnated).
- * Universal application. * Primary impedance range: 2,000 to 18,000 ohms.
- * Secondary impedance range: 200 to 21,000 ohms.
- * Highest efficiency-lowest weight per watt, * Easy to solder heavily silver-plated tags.
- * Above or below chassis wiring
- * Capacity: 30 to 250 watts.

Price: UM1

List Audio Watts Max. Sec. Overall Size Weight No. Watts RF In. Current L. W. H. lb. oz. UMI 30 60 120 mA. 37 x 31 x 35 5 8 IIM2 60 120 200 mA. 51 x 41 x 51 11 8 UM3 120 250 mA. 240 51 x 51 x 51 14 8

UM2 £10/13/3 " UM3 ... £12/2/6 ..

PI-COUPLER FOR HIGHER POWER

HIGHER POWER
Compact, bandwideled, Mith power
Lated for a max. 1,200v. de. at 300 mA. Ingui. Higher vollages on ev. and s.a.b.,
gui. Higher vollages on ev. and s.a.b.,
gui. Higher vollages on ev. and s.a.b.,
made of 'k in. silver-plated strip, 15 and
some the old of 17 in. silver-plated wire,
and the form of the compact of the compa

in parallel capacities required. when required.
Recommended input capacitor: Eddystone
Type 817, Recommended output capacitor:
Condenser
Condenser Standard miniature 3-gang BC condenser which is suitable in this position up to 1 kw.

Price: £4/17/6 nett "Willis" Med. Power Pi-Coupler, £3/19/6 inc. Sales Tax.

"Willis" Heavy Duty Pi-Coupler Choke, 25/- inc. S. Tax.

Q-MAX SCREW-TYPE CHASSIS CUTTERS

5/8"		26/7	1-3/8"		38/6
3/4"		26/7	1-1/2"		38/6
7/8"		29/4	1-3/4"		42/-
1"		34/10	2-3/32"		68/9
1-1/8"		34/10	2-1/2"		81/7
1-1/4"		34/10	1" Squar	re	52/8
	11/	16" Sa	uare, 50/6		
One	key	supplied	with each	antte	*

Please include Freight and Exchange with all Orders.

THE MANAGER AND STAFF OF WM. WILLIS & CO. PTY. LTD. EXTEND HEARTY SEASONAL. GREETINGS TO THEIR CLIENTS.

"WILLIS" CHASSIS PUNCHES

£7/9/9 inc. Sales Tax



Any special size requirements made to order

WILLIAM WILLIS & CO. THE HOUSE OF QUALITY PRODUCTS

428 Bourke St., Melbourne, C.1, Vic.

MII 2426

V H F

David Tanner, VK3ZAT

As you will have seen in Nov. "A.R.," I am your new V.h.f. Editor, so please start throw-ing things (news and ideas) at me. ing things fnews and ideas's at me.

Now for some news on the DX front. JAs
have been rather scarce down in the south, but
further north have been having their hare
during October. Some ionospheric disturbances in
the early part of the month produced quile
in the early part of the month produced quile
and JA for a couple of the VXZ boys. The
sporadic E season appears to have started off
well with a good opening in the eastern States
on 6th November. Some including the control of the VXZ boys. Of interest to those chasing VK8 for W.A.S. is the news that Kel VK3ZFQ is preparing for a trip to Alice Springs during the Christmas and hopes to operate under the call VK3ZFQ.

That's all from me for this month so get busy with those pens and let's have a bigger and brighter v.h.f. page.—3ZAT. NEW SOUTH WALES

General Text and page 2 per compared to the co

Year's Day, Further details in next monus. The sight him with 300 Midne, new WerThe sight him, with 300 Midne, new Werthe shortest distance. Other places were AVRY
and AV. The mean week's statement with a
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and XIII so
40 Mer. A band opening to JA, and JA, and
40 Mer. A band opening to JA, a

The frequency checks on Sunday evening, as given by 2ER have come to a temporary end, at 148 Mc. Phil has now covered every 100 Kc. to 146, and also 147 and 148 Mc. He is still to give individual spots and frequency Our thanks to Phil for this valuable cffers: Service.

VICTORIA

D'HEORIA

D'HEOR

David ZAT has a 646 These stabled up in his signal, as 100 per per claim of the per claim o coming months—you may work yourself a VK2.

88 Mc. Bill 3BUT at Geelong has been receiving audio from Geoff 3AUX/T in Melbourne, but to date has been unsuccessful with Geoffs video signal. 3ZCG at Kooweerup North is looking for contacts on this band, but can find no takers. Perhaps the Ross Hull will scare up some activity. scare up some activity.

556 Mes: SZHFSZLN have been active on this
band with mod. onc., superregen, equipment
and have worked into Melbourne from the
Pentland Hills area (about 40 miles). Jim and
Neil have also worked SZIR in Brighton. No
reports have been received of any activity with
stabilized equipment in VK3. Is there any?

stabilised equipment in VK3. Is there any? Fox Heat: The October hunt was most disappointing to the organisers, \$ZJN, \$ZHF and Kon Bird (awaiting the results of the last Ron Bird (awaiting the results of the last high was a flop. Neil, Jim and Ron have decided they will not be fox, or should it be bunny, next time. The question now is, "Will there be any more hunts?" The answer is up there be any more hunts? The newer is up

there by any more lumb? The nawer is up. 78-16, firsts, besting; if members stiended the October meeting and visitors included Max. Market and the Control of the Control o

23rd Apr. Those going portable are advised to publicise their plans so as to avoid having to share mountains.

These are the last notes for 1990. I hope the past year has been a good one for you and I wish you all the best for the coming 1961. 73, 26V.

QUEENSLAND

1861. 71, SQV. QUENCHAND

59 Mc. Early Cother was very paichy on
50 Mc. Early Cother was very many of
50 Mc. Early Cother was very was very many of
50 Mc. Early Cother was very was very many of
50 Mc. Early Cother was very war very many of
50 Mc. Early Cother was very war very many of
50 Mc. Early Cother was very war very wa Col SNO and SASS.

General: New call signs to my notice: SZBQ,
4ZCN, 4ZDJ (SI carrier here), 4ZCS, 4ZCF,
4ZCR. Turn your beams north, you blokes,
and work some DX! There's a few outside
Britsbane you know.—4ZBI. SOUTH AUSTRALIA

SOUTH AUSTRALIA

9 Mc.: SOUTH AUSTRALIA

19 Mc.: The second of the secon and others were also getting their share of Mont of the other openings during the month Mont of the other openings of their control of the other of the other opening occurred on 1st Oct. When One and their opening occurred on 1st Oct. When One of their opening occurred at 11st locars 8.4. To best no 94A were of the other other opening occurred at 11st locars 8.4. To best no 94A were were proposed on 1st locars 8.4. To best no 94A were were proposed on 1st locars 8.4. When One of the other opening occurred at 1st locars 8.4. Were over proposed to the other opening occurred at 1st locars 1 contacts.

On the afternoon of the 29th signals from VK4 were heard for the first time this month and several contacts were made. Later in the evening at 2200 hours S.A.T., the Korean f.m. station was audible and a carrier on \$9.2, but

evening at 2200 hours & A.T., the Xorwas fungasalin ro conticles as the covered piece of
again rough the second of the second

arker.

VK5s in Adelaide recently lost one of their lost active v.h.f. enthusiasts when Al 5ZCR (Continued on Page 13)



The WARBURTON FRANKI Page

THE WORLD'S FINEST DIODES BY THE RENOWNED INTERNATIONAL



'INTERNATIONAL' ENCAPSULATED SILICON DIODES

200 to 500 mA. rated; 400 P.I.V. Designed specifically for Television and Commercial Equipment Applications,

These silicon junction diodes are especially recommended for television and other commercial equipment applications where low cost, miniaturisation and high temperature consertion are recost, miniaturisation and high temperature operation are re-quired. They will provide dul-liated power under normal con-vection cooling, with no external teat sink required.

DIDDE TYPES	2	4	SE4		
	Cap. Load	Res. Load	Cap. Load	Res. Load	
Peak Inverse Voltage, Volts	400	400	400	400	
Maximum RMS Input Voltage, Volts	140	280	-140	280	
Max. Rectified DC Output Current, ma (at 70°C ambient temp.)	200	300	350	500	
Max. Surge Current (@ 0.1 second), amps.	2	2	5	5	
Max. DC Reverse Current @ 100°C (Full cycle average over 10 seconds), ma	0.5	0.5	0.5	0.5	
Max. DC Voltage Drop at 500 ma, Volts at 200 ma, Volts	1.3	13	1.3	12	
Minimum Surge Resistor, Ohms	10	-	4.7	-	
Recommended Surge Resistor, Ohms	22	-	7.5		

Dimensional Diagram

DIRECTION OF CURRENT FLOW #22 GA. (.025) WIRE PLASTIC ENCAPSULATION All dimensions in inches % approx

WRITE FOR BULLETIN SR208-A


INTERNATIONAL 6 & 12 AMP. STUD MOUNTED SILICON DIODES

DIEDE STYLES AND TYPES			-	F SERII						1	OF SERI	13		
DIEGE PLEES WAS LIVED	655	6513	6615	£F20	6730	6540	6750	12FS	12F10	12515	12720	12533	12740	12750
Peak Reverse Voltage, Volts	50	100	150	200	300	400	500	50	100	150	200	300	400	500
RMS Input Voltage, Volts	35	70	105	140	210	280	350	35	70	105	140	210	280	350
Continuous DC Voltage, Volts	50	100	150	200	300	400	500	50	100	150	200	300	400	500
Rectified DC Output Current, Ma.			(See	Figs. 1	to 3)			-		(See	igs. 4	to 61		
Peak Surge Current (1 Cycle), Amp.	50	50	50	50	50	50	50	65	65	65	65	65	65	65
Operating Temperature Range		-2	0°C to	125°C	lunction	Temp.				20'01	12510	Jancti	en Temp	1,
Storage Temperature Range		-2	0°C to 1	50°CA	nbient	етр.		1	- in	20°C to	150°C	Ambien	t Temp.	
Inermal Resistance (Base to Junction)*C/watt	2	2	2	2	2	2	2	2	2	2	2	2	2	2

0.5 Volts at 12 Amperes 0.65 Volts at 6 Amperes 0.65 Volts at 12 Amoenes WRITE FOR BULLETIN SR-308-A



Dimensional Diagram





WARBURTON FRA

VIC.: 359 LONSDALE ST., MELB., 67-8351 N.S.W.: 307 KENT ST., SYDNEY, BX 1111 QLD.: 233 ELIZABETH ST., BRIS., 31-2081 S.A.: 204 FLINDERS ST., ADELAIDE, W1711

SIDEBAND

Bud Pounsett, VK2AOJ 22 Seiffert Centre, Queanbeyan, N.S.W.

INSTABILITY

NSTABILITY
Several of our sidebanders have encountered instability in Class A.r.f. driver stages. The instability in Class A.r.f. driver stages. The in this stage are the 6AG7 and its ministure counterpart, the 6CLA. No doubt some of you seems to include that the tubes are not to bame. The cure is usually to be found in VSAGAU, in this excellent article in the October "A.R." (for which issue the Editor and his Committee are to be congratulated).

"A.R." (for which leave the Editor and his Maybe I carry this shielding business to Maybe I carry this shielding business to the Committee of the Committee of



Fig. 1.-Low Freq. Xtal Oscillator. LOW FREQ. XTAL OSCILLATORS

Many of us have had trouble getting those Many of us have had trouble getting those ow frequency xials oscillating. These are to the control of these xials from Texas Crystals of Fort of the control of these xials from Texas Crystals of Fort of the control o

Mc.).
The low frequency circuit of interest to s.b. builders is shown in Fig. 1. This circuit is suitable for frequencies in the range 80 to 800 Kc. For those who wish to install a 10 800 Kc. For those who wish to install a 10 800 kc. For those who wish to install a recommended by Texas Crystals for this application. I wish to thank Mr. B. N. Armatron, Vice-President of the Company, for permission



Fig. 2.-Xtal Oscillator.

ANOTHER PRODUCT DETECTOR

ANOTHER PRODUCT DETECTOR
In an entire propering in May be a properly in the proper in the property in the prop

from the b.f.o, to grid number 3 will be an To. adjust this product detector, the usual procedure is followed. Tune in a strong signal disable the b.f.o, and adjust the t.f. couprise the b.f.o. and adjust the t.f. couprise the b.f.o. and the b.f.



Fig. 3.-Another Product Detector.

IDENTIFICATION

IDENTIFICATION

In trouble for not identifying every five minutes? Some of us have been lucky and some have received "Plesse Explains" on this some have received "Plesse Explains" on this sequite specific—you must announce your call sign and the call of the station you are working at the beginning and end of each contact and every five minutes during the

you are engrossed in an interesting in on s.s.b. or how to grow tomatoes, DX, five minutes seems to go past very and it is very easy to slip up on Gil VKZRI, of Tenterfield, and a keen all ander, has come up with a simple tim freuit which will save you from having SL an R.I. Fig. 4 gives you most of formation you need to build the device. information you need to build the device.

The relay requires a couple of sets of contacts normally closed so that the 1,000 gF,
contacts normally closed so that the 1,000 gF,
contacts and the set of the contact of the
contact of the contact of the contact of the
contact of the contact of the contact of the
contact of the contact of the contact of the
contact of the contact of the contact of the
contact of the contact of the contact of the
contact of the contact of the
contact of the contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of the
contact of



Fig. 4.-Timer.

ACTIVITY

ACHIVITY

And had solven up on 20 me select
that shirted on sub, but not any more. Becking
that shirted on sub, but not any more. Seven
basis give in a selection of the selection
postulate if in los a element beam. The only
gap not silical in the postulate in the pickes or a
dark field, VÄAHII, of Halvara, writes me
abouth. The QIM must be very solid indeed
to the picket of the picket of the picket of the
content of the picket of the picket of the
content of the picket of the picket of the
content of the picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of the
picket of

Alan himself has a 10B driving a 812 in a COM of writing a 912 in a COM of writing a picenser beam 32 ft. 116h BCM of writing a picenser beam 32 ft. 116h BCM of writing a picenser as interested in ab. Swylx find literaing to sideband additional part of selection for the selection f JAX. SMIDIS. OALOW. DO DESIGN STANK. PLANTING THE VIEL AND STANK IS SWEET AS WEET AS KA, KR, KIED and Was by the score in 14,399 Kc.

I wish to thank those of you who have written I wish to traink those of you who have written giving me your support and to those who have called on the air with information and ideas. May I also extend to all of you my best wishes for a Happy Christmas and a prosperous 1861.



The station of Bud Pounsett, VK2AQJ, lives in the kitchen. The tx has s.xb. output on the bud of the control of

VHE (Continued from Page 11)

(Continued from Fage 11)
shifted QTH to M. Gembler, 300 miles away,
will not be able to continue the wint. rolerelayed by Will each Study merring, and our
relayed by Will each Study merring, and our
relayed by Will each Study merring, and our
be has put into the V.M. Group generally,
be has put into the V.M. Group generally,
"Mount" and new two metre capitage of the rx and a
suring space is available for the installation
suring space is available for the installation
ment. At will also be on a mx from the new
GTH. 73, 8192.

AMATEUR T.V.

Commencing on Sunday night, 9th Oct,
Amateur T.w. contact has been made between
Mo. band is used for vision and the 59 Mc.
for a normal sound QSO, enabling reports or
remarks re vision tests to pass between them.
Sept. 190 "A.R." Ian SZIR is using a 328 Mc.
convecter feeding into a tw. set on Channel
a tw. tx. tx. oron and it is hoped that a two-way.

Index to "A.R." Technical Articles-1956-60

ANTENNAE, ANTENNA TUNING	Modulator for QRP Rig Feb. '57	Filling Panel Holes Jun. '5
UNITS, ETC.	Restricted Frequency Range	Finishing Test Instrument Panels Feb. '
Adjustment of Gamma-Match-	Speech Amplifier	Flux for Nichrome & Nickel Aug's
ed Parasitic Beams Jul. '58	Some A.B.C's. of Amplifiers Feb. '60	Holder for Nails, Nuts, Bolts Apr. '!
Aerial Reflections Feb. '57	Subdue That Overmodulation and increase your Readibility Mar.'57	Holder for Nails, Nuts, Bolts Apr. ! Home-Made Test Prods Sep. ! Insulated Feed Through Dec. ! Making Coll Formers
Antenna Couplers for 50 and 144 Mc	Transformer Theory and Prac-	Making Coil Formers Sen "
Antenna for Field Day or Port-	tice:—	Making Coil Formers Sep. '! Multiple Position Xtal Holder Sep. '!
able Operation Dec. '59	Part One Feb. '56	
Antenna for S.w.l Sep. '60		Finals Jan.'t
Erecting Towers	Wide-Range Tone Control in Amateur Phone	the Geloso V.f.o. Jan."
Evils of Multi-Band Antenna	75 Watt Modulator Aug.'60	the Geloso V.f.o Jan. 't Panel Bushings from Poten-
Systems and Cure Jul. 37	15 Watt Modulator Aug. 00	tiometers Jun. '6 Pencil When You Need It:
G4ZU "Bird Cage" Antenna Jul. '60	DISPOSALS EQUIPMENT	Mobile Hint You Need It:
G4ZU, 3-Band Minibeam Sep. '56	AR7 and S.s.b Jan. '60	Mobile Hint Jul. 's Relay Rectifler Apr.'s Rods for Chokes, etc., with Perspex Aug.'s Shifting Frequency of Xtal Feb.'s
Hints and Kinks:— Dismantling a Mast Dec. '58	Brief Details, Surplus Radio	Rods for Chokes, etc., with
Fibre Glass Whips Apr. '59	Equipment Mar.'59 Command Twins—Cheap All-	Perspex Aug.
Fibre Glass Whips Apr. '59 Film Reels as Capacitive	Rand Sch Receiver Jun '58	Shunt Coupled Pi-Couplers Apr. '5
Hats Dec. '58 Fixing Beam Wire Elements Apr. '56	Band S.s.b. Receiver Jun. '58 Conversion, SCR522 Tx to 5	Simple Group Boards Aug.'5
Lightning Protection Sen '56	Metres Jul. '59	
Polythene Spreaders Jun. '56	Converting AT5 for 80, 40, 20,	"Tee Tran" for Vhf Jul 's
Polythene Spreaders Jun. '56 Portable Antennae Apr. '59 Remote Tuning of Cubical	15, 10 Metres Jul. '57	ateur Radio Feb. 6 "Tee Trap" for V.h.f. Jul. 5 Transistor Protection Feb. 6
Remote Tuning of Cubical	Converting SCR522 Genemotor to 12 Volt Operation Jul. '56	
Quad	to 12 voit Operation Jul. 38	Inches Aug.
Home-Made Three-Bander Apr. '57	CV and VT (U.S.A.) Service Tubes and Equivalents Aug.'60	V.h.f. By-pass Capacities Apr '5
Mobile Tx and Antenna Mar.'56	Getting 1155A Going Jan. '58	formers Aug. V. Market V. M. F. By-pass Capacities Apr. 56BE6 Preamp. for Both Hiand Low-Z Mikes Sep. 56
Mounting Bracket for Mobile	Hint to 122 Transcaiver Own-	and Low-Z Mikes Sep. '5
Antenna Jan. '59	ers	
Multi-Band Antenna System	HRO Alignment Data Sep. '60	inium Alloys Jan. 5 "Just Like 'QST' Except" Nov. 5
for Newcomers	Some Disposal Passivers Aug'60	Link Coil Formula Jun. '5
System	ers Apr. '60 HRO Alignment Data Sep. '60 Intermediate Frequencies of Some Disposal Receivers Aug.'60 Loran CRO Indicator, AN/	Need Some Polystyrene Cem-
Polarisation Effects in V.h.f.	APN-4 Feb. '59 Modifying AR7 Receiver:	ent Sep. '5
Mobile	Parts One to Five May to Sep. '57	Polarised Relays, in an Auto-
Metres	Part Six Dec. '58	matic Keyer Jan. " Pulse Theory:—
Selection of Antenna Tower Apr. '60	Part Six, Section Two Jan. '59	Parts One to Three Sep. to Nov.'s
Metres Aug.'56 Selection of Antenna Tower Apr.'60 Series Phased Array, Mk. ? Feb.'59 Simple Mobile Whip, 40 and	Part Six Dec. 58 Part Six, Section Two Jan. 59 Modifying AR8 Receiver Nov. 59 Modern Valves in Type 3 Re-	Regulations: Portable-Mobile
80 Metres	ceiver Nov.'57	Operation May '5
Slot Beam Jan. '56	New Bottles for Old (CR100) Sep. '56	Relays May '5
Snoop Loop Jul. '57	R1155 Receiver:—	Simple Sideband:— Parts One and Two Apr. 15 Parts Three and Four May 15 Parts Five and Six Jul. 15 Parts Seven and Eight Aug. 15 Parts Nine and Ten Sep. 15 Parts Eleven and Twelve Oct. 15 Single Switch Control
S.w.r. Measurements with the TA33 Jr. Triband Atnenna Oct. '60	Part One—Design Sep. '60 Part Two Oct. '60	Parts One and Two Apr. 5
		Parts Five and Six Jul. '5
ponents and the VK2AOU Tri-Band Beam	BC453 Mar.'60	Parts Seven and Eight Aug.'5
Tri-Band Beam at VK2AOII Jun '58	Erratum to above Jun '57	Parts Nine and Ten Sep. 5
	BC453 Mar. '60 Type 3 Mk. II Receiver May '57 Erratum to above Jun. '57 Using BC459 with V.h.f. Overtone Oscillator Jan. '59	Single Switch Control Jan. '5
Antenna, QRP Mar.'56 Tuning a Beam near Ground Feb.'57	tone Oscillator	Solid State Radio Frequency
Tuning a Beam near Ground Feb. 57	Wireless Sets No. 22 and 122 Jul. '59	Amplifiers:—
2 Metre Long Yagi Sep. '57 21 Mc. Quad for 300 Ohm Feed Jul. '58	MISCELLANEOUS	Part One Apr. '5 Part Two May '5
	An Automatic Morse Keyer Dec. '58	S.s.b. Why? How? Aug.'6
AUDIO FREQUENCY EQUIPMENT	Break-in at its Best Dec. '59 Experiments with 144 Mc. Underground Mar.'56 Handy Coil and Co-ax Data Mar.'57 How good are your R.f. Chokes' Sep. '59 How's Your Soldering? Jan. '58 Hits and Kiske.	Synchronous Communication:—
Audio Limiters, Clippers, and the use of Silicon Diodes as	Experiments with 144 Mc.	Part One Apr. '6
Compressors	Handy Coil and Co-ax Data Mar.'57	Part One Apr. 'é Part Two May 'é Part Three Jun. 'é
Compressors Nov.'60 C.H.L. Modulation System Aug.'58 Clamp Tube Modulation Dec.'56	How good are your R.f. Chokes? Sep. '59	Part Three Jun. '6
	How's Your Soldering? Jan. '58 Hints and Kinks;—	Technical Topics:—
Audio Amplifiers Jan. '57	All-Band R.f. Choke Aug.'58	Choosing Condensers Jul. '5 Netting
Audio Amplifiers Jan. '57 Driving Zero Bias 807's Aug. '60 Gated Screen Modulation Jan. '56 High Level Clipping and Filtering.	BC221 Carrier Injection Gen-	Timer Dec. '6
Gated Screen Modulation Jan. '56	erator for S.s.b Aug.'58	T.R. Control Oct. '6
	All-Band R.f. Choke Aug.'58 BC221 Carrier Injection Generator for S.s.b. Aug.'58 Cable Sockets Aug.'58 Cheap Scriber, Renewable	Tunnel Diode Story Oct.'6
	Tips Aug.'58 Cleaning Greasy Hands Jul.'59 Coil Formers from 35 mm.	Voltage, Current, Power and
Audio Frequency Test Sig- nal without Audio Osc Aug.'58	Cleaning Greasy Hands Jul. '59	Resistance Chart Feb. '6
Audio Test Tone Anr '59	Film Cassettes Sep. '58	Warning! (Batteries) Jan. '5
Audio Test Tone		What About an Index? Aug.'5
Parallel Fed Plate Modulat'n Apr. '60	Enlarging Chassis Holes Jul. '59 Demagnetising Tools Feb. '60	What Value-Component? Jan. '6
Modulation Percentage Indi- cators Jun. '60	Drilling Hint Jan. '60	Winding Coils for Low Frequencies Dec. 6
Cutoty	Dining oan. 00	queneres Dec., o

POWER SUPPLIES		Using Overtone Oscillators Aug Who's Afraid of a Receiver? Mar 288 Mc. Crystal Controlled	g.'60 F	Plate Modulated D.s.b.r.c. or	
A.c. Power Supply for 22 Set M	4ar.'59	Who's Afraid of a Receiver? Mar	r.'58	D.s.b.s.c. Receiver Method of Phasing	Oct. '59
		288 Mc. Crystal Controlled	F	Receiver Method of Phasing	
ment Operation	far '57	Converter Aug	g.'58	Alignment Single Sideband Adaptor	Jan. '60
E.h.t. Without Tears C	Oct '57		8	single Sideband Adaptor	Jul. '60
I.t. Supplies S	ep. '60	TELEVISION	8		
		Amateur Television:—		Than Amplitude Modulation?	Jul. '57
cury Vapour Rectifiers S Jsing Silicon Rectifiers and T.v. Components in Amateur	en '52	Donte One to Nine Men to New	, '50 S	Sledge-Hammer Special — Two Metre Transmitter Super Simple Sideband	2000
Ising Silicon Rectifiers and	ор. оо	Errats to above, Parts One, Two, Three Jul. Diagnosis of T.v.i. Jan	v. 50	Metre Transmitter	Jul. '59
Ty Components in Ameteur		Two Three Tul	100 S	Super Simple Sidehand	Dec '60
Power Supplies C	on '60	Diamenia of Mari	7 T	ests with Multihand Compon-	200. 00
100v 200 mA Supply using	ер. оо	Prevention of Interference by	. 31	ests with Multiband Compon- ents and VK2AOU Triband	
Power Supplies S 600v. 300 mA. Supply using Silicon Rectifiers C	Oat 180	revention of interference by	150	Boom	May '50
Sincon rectiners C	JCL. 00	T.v. Receivers May Report of the First T.v.i. Field	y 58 7	The TAS Special	Oct '59
RECEIVING		ment of the First 1.v.i. Field	rea T	The WICEN Communicator	Oct '58
		Test Jul. Slow T.v. with Electrostatic CR	. 00 7	Prancistoricad Ministure Trans-	Oct. O
Adjustment Procedures for		Tolar	- 100	Beam The TA2 Special The W.I.C.E.N. Communicator Transistorised Miniature Trans- mitter	Mar.'57
V.n.i. Converters F	'eb. '59	Tubes Nov	V. 60	mitter Fransmitter with Low Har-	
V.h.f. Converters F		Tubes Nov Those Equalising Pulses Oct T.v.i. Diagnosis Chart Max	. 01	monic Output:	
out Band-Switching S	ep. '57		y 60	Part Four Further Notes Try Remote Tuning Your 50	Ton '56
another Product Detector D	Jec. '60	Understanding T.v.i Oct.	. 90	Further Notes	Mar '56
Another Product Detector Danother 2 Metre Converter Dapproach to Conversion Jandspreading the Super-Pro	ec. '56	THE POTTONESIN	7	ry Remote Tuning Your 50	mai. ou
approach to Conversion Ji	un. '57	TEST EQUIPMENT		Mc. V.f.o. Two Stage Transistor Tx	Nov '60
sandspreading the Super-Pro		An Audible Tuner Sep	o. '58 m	Two Stone Transistor Ty	Tun '50
on all Bands National Building a Panoramic Adaptor J Cheap Effective "S" Meter M Couble Conversion Plus A	Aar.'56	Applications of the Grip Dip	· - 7	wo Tubes and Xtal Control	oun. 00
Building a Panoramic Adaptor Ju	un. '56	Oscillator Oct Capacitance Meter Dec Cheap 100 Kc. Calibrator Jul.	t. '58	on 288 Mc.	T.1 100
neap Ellective "S" Meter M	lay '56	Capacitance Meter Dec	:. '60 T	Jsing Overtone Oscillators K2AQU, Mark I.	Aug '60
Jouble Conversion Plus A	Aug.'58	Cheap 100 Kc. Calibrator Jul.	. '60	WOACH Morle I	Oct '60
sconomical neceiver for S.w.			. '59	OVVI Tuenemitten	Ann 156
Listening D Experimental High Frequency	Jec. '59	Improved Dipper Oct Instant R.f. Indicator May	t. '58	2YY" Transmitter Testing and Adjusting 0 Degree Phase Shift Net-	Man '56
experimental High Frequency		Instant R.f. Indicator May	y '59 o	O Dogwoo Phone Chift Not	may ou
Transistor Portable C	Oct. '58			works:-	
fitting an "S" Meter S	ep. '60	Mickey-Match Jul. Miniature Tone Oscillator Sep	. '59	Port One	A 157
Transistor Portable Continue an "S" Meter Soolproof "S" Meter F	'eb. '60	Miniature Tone Oscillator Sep	. '60	Part One	Con '87
reloso Receiver Front-End		Modulation Percentage Indica-		Post Three	Oct 257
Unit			. '60 1	00 Watt Dab Mobile Trans-	Oct. 31
lints and Kinks:—		Monimatch Apr	:. '57	mitter	A 157
lints and Kinks:— Backlash in HRO Tuning		Monimatch Apr Monimatch Mk. II. Apr Phone and C.w. Monitor Aug Simple Capacity Bridge for the	. '57	mitter	Aug. or
	un. '60	Phone and C.w. Monitor Aug	g.'56	VALVES	
Simple B.f.o. F Transistorised B.f.o. in Mo-	'eb. '56	Simple Capacity Bridge for the		TALLES	
Transistorised B.f.o. in Mo-		Blind May	y '57	v and vr (U.S.A.) Service	1 100
bile	ul. '59	Blind May Simultaneous R.f. Bridge In- dicator Mar		Tubes and Equivalents EL34 Output Pentode	Aug. 60
Home Built DX Receiver A How's Your Receiver? D HRO Alignment Data S	pr. '56	dicator Mar Test Meters, How to Use Them Feb Versatile Standing Wave In- dicator Mar	r.'59	L34 Output Pentode	NOV. 30
low's Your Receiver? D	Dec. '57	Test Meters, How to Use Them Feb	. '58	tew Bottles for Old	Sep. 50
IRO Alignment Data S	ep. '60	Versatile Standing Wave In-	6	2E04/10 Power Tetrode	Aug. 50
		dicator Mai	r.'59	QE03/12 Double Tetrode	Aug. 50
Superhet. Receivers J.	an. '56	V.h.f. Field Strength Indicator		New Bottles for Old QE04/10 Power Tetrode QQE03/12 Double Tetrode Characteristics of Valves	T. 100
Mobile the Economical Way F	'eb. '60	Receiver Nov Visual Monitoring Sep	v.'56	at Low Voltages 77127 Data AS4 Full Wave Vacuum Rect. 894 (QQE06/40) Double Tet. AL5 Twin Diode AQ5 Beam Power Amplifier AV6 Twin Diode High-Mu Tricde	Jan. 60
vew Receiver Tuning Prin-		Visual Monitoring Sep	. '60	7127 Data	Apr. '60
ciple			0	AS4 Full wave vacuum Rect.	May 57
Noise Limiter for Mobile Work I		TRANSMITTING	0	894 (QQE06/40) Double 1et.	Apr. 30
Overtone Oscillators A	\ug.'58	An Audible Tuner Sep.	. '58	ALS TWIN Diode	may 57
Painless Noise Limiting for 13/6 A	lug.'59	A 6146 on 2 Metres Oct. Better R.f. Phase-Shift Oct. Capacitive Neutralising Hint Dec	'60 0	AQ5 Beam Power Ampliner	may 37
Product Detector/Balanced Demodulator		Better R.f. Phase-Shift Oct.	. '60	Ave Twin Diode High-Mu	T1 1077
	Jet. '60	Capacitive Neutralising Hint Dec.	. '58	BQ6GTB/6CU6 Beam Power	Jul. 37
roduct Detectors A	lug.'60	Crystals Substitute Mechanical	0		Jul. '57
roposals for Mobile Receiver		Filter Sep.	. '58 .	Valve	Jul. 37
Product Detectors A Proposals for Mobile Receiver Without H.t. S Putting Sense into Transmitter	lep. '59	Effective Low-Power 144 Mc	6	BQ7A Medium-Mu Twin Tri. CB6 Sharp Cut-Off Pentode SN7GTA MedMu Twin Tri.	350m 150
utting Sense into Transmitter		Transmitter or Exciter Jun.	. '57	CNOCKA Man Tentode	Ort 167
Hunting	an. '59	Harmonics and Selectivity of			
Hunting J. Quartz Crystal Filters D. Quartz Crystal Filters J. Receiver Noise Improvement J.	rec. '58	Transmitter or Exciter Jun Harmonics and Selectivity of Transmitters:—	0	U8 Medium-Mu Triode, Sharp	Tan 150
guartz Crystai Fitters J.	an. 59	Part One Dec.	. '57 e	252 (OOF02/20) Double Tet	Anr '56
deceiver Noise improvement . J.	au. '57	Part Two Jan.	. '58	Cut-Off Pentode 252 (QQE03/20) Double Tet. 2AU7 Medium-Mu Twin Tri. 2BH7 Medium-Mu Twin Tri. 2BH7 Medium-Mu Twin Tri.	Sen '57
Sideband Reception Without		Hints and Kinks:-	1	2DU7 Medium-Mu Twin Tri	Dec '57
lears	dar. ou	Foot Switch Apr.	. '56 1	2BY7 Sharp Cut-Off Pentode	Ton '59
Simple Squeich Circuit D	ec59	Foot Switch Apr. How is Your Modulation? Apr.	. '60	2D11 Sharp Cut-On Tentode	Jan. 30
Tears Mimple Squelch Circuit D Substitute for Transistorised Audio in 12v. Receivers Juperhet. Receiver C 9'er Mark II N	am 100	Modulation Percentage Indi-		V.F.O's.	
Audio in 12v. Receivers J	an. '60		'60		
Supernet. Receiver C	JCT. '58	Parallel Fed Plate Modulat'n Ann	'60	lotes on Frequency Stabilisa- tion of Transistor Oscillators	30 100
9'er Mark II. N emperature Compensation in	107.39	Taps on Tank Coils Feb.	. '56	tion of Transistor Oscillators	Mar. 57
Tannaistaniand Bassissan III	100	How to Tune Your Pi Network	0	ideband Man's v.i.o.	Aug. 39
Transistorised Receivers July The "Snoop-Loop" July July The "Snoop-Loop" July Transistorised Receivers July Transistorised Re	un. 30	Final Sep. Linear Amplifiers Nov. Link Coll Formula Jun.	. '58	ideband Man's V.f.o. iome Thoughts on V.f.o's. 'esla Oscillator 'ry Remote Tuning Your 50	Man 150
DIOOD-LOOD JI	u. 01	Linear Ampliflers Nov.	. '60	Pomete Tuning V	140V. 00
The W.I.C.E.N. Communicator C	oct. '58	Link Coil Formula Jun.	. '58	Me Wee	Non ton
Three-Band Crystal Converter A	pr. '60	Low-Pass Filter Home-Build-	141	Mc. V.f.o.	Fab 100
hree-Band Converter A			. '56 V	IOI O MEETES	A 100
wo-Band Xtal Locked Con-	1	Low-Power Transmitter or Ex- citer for "2" Mar Mathematical Considerations of		oltage Tuned V.f.o	Apr. '60
verter A	pr '60	citer for "2" Mor	r.'57		
V	pr. 00	Mathematical Considerations of			
ransistorised Converter for Mobile Work, the Easy Way O		S.s.b. Feb.		TRADE NOTICE	
Mobile Work, the Easy Way O	oct. '60	S.s.b. Feb. "Meet Donald Duck" Mar Mobile Transmitter and An-	r.'57	The Sudney Branch Office of	PH
ransistorised I.f. Amplification N		Mobile Transmitter and An-		unningham Div Itd and	Dainten
ransistorised Q5-er C			- '56	The Sydney Branch Office of funningham Pty. Ltd. and Australia) Pty. Ltd. has been erred to 29 Gibbes Street, Chs	trans-
Turret Tuner for Receiver		tenna Mar Overtone Crystal Oscillators Aug	7'58 fe	arred to 20 Cibbee Street Che	temood
Front End	nl '60	Pi-Network Tank Circuit Jan.	'56 T	he telephone number is 40-021	8
21011 Land		Troumona Tunna Circuit bail.		ne telephone nambel is 10-021	

HALLICRAFTERS HT37 TRANSMITTER

Now the Ultimate in SSB, CW, AM, at the flick of a switch. Check these details and compare them with any other unit on the market:

Check these details and compare them with any other unit on the market:

**Both aideband transmitted on AM for super quality.

**Choice of either aideband on any frequency at the flick of a switch
(enabling side talk when in a next).

**Bull-in-voice operation with extra contacts.

**Full 144 Wats input to pair old tubes.

**Full 144 Wats input to pair old flid tubes.

* Pi-coupled output.

Temperature compensated, perfectly stable, direct reading V.F.O. Variable cal. position for tuning or netting. Band-switched for all five Amateur Bands, 80 to 10 metres.

panus-switched for all tive Amateur Bands, 80 to 10 metres. Fifteen tubes plus voltage regulators and two rectifiers. Carrier suppression down 50 db., distortion products down 30 db. Size 9° high, 19½° wide, 15½° deep, Weight 82 lbs.
Cabinet steel, brush chrome trim with light grey and black.

PRICE: List £316/16/4 plus Tax £29/15/3, Total £346/11/7. A check on 14 Mc. will prove that these transmitters are fast becoming the standard by which others are judged, no other unit has so many refinements, all contained within one elegant and pleasing cabinet.

W.F.S. (ELECTRONIC SUPPLIES) PTY. LTD. 227 Victoria Road, Rydalmere, N.S.W. Phone: YW 1715

CHOOSE THE BEST-IT COSTS NO MORE



DURALUMIN. ALUMINIUM ALLOY TUBING IDEAL FOR BEAM AFRIALS & T.V.

* LIGHT * STRONG

★ NON-CORROSIVE STOCKS NOW AVAILABLE FOR IMMEDIATE DELIVERY

ALL DIAMETERS—1" TO

Price List on Request

STOCKISTS OF SHEETS-ALL SIZES AND GAUGES

GUNNERSEN ALLEN METALS PTY. LTD. 88-92 YARRA BANK RD., HANSON ROAD. STH. MELBOURNE, VIC.

Phone: 69-2121 (10 lines) Telegrams: "Metals," Melb.



WINGFIELD, S.A. Phone: 4-3362 (4 lines) Telegrams: "Metals," Adel.

FEEDBACK

COMMENT was made last month regarding the promised I.T.U. Conference report, but this criticism omitted certain facts.

The LT.U. report has not been published because it is not complete. Until the Frequency Review Committee reach a finding and Parliament have ratified the Geneva findings (and those of the Frequency Review Committee), the final decision regarding Amsteur frequency flowers of the final decision will be reached in that final early after that date the LTIL. 1961, and after that date the I.T.U. Conference report, plus the decision of the Australian Government, will be combined and published. The publica-tion of the report was never intended to influence any Body, but was to serve as a historical reference for the coming generation of Amateurs. The full back-ground details to the last LT.U. Con-ference were not available to our last delegate and this rendered his task more difficult. So Federal Executive more difficult. So Federal Executive have decided that by publishing a com-plete summary of the Conference and the final ratification by Parliament it will provide a valuable reference to be used by our delegate who attends the next I.T.U. Conference. You will renext I.T.U. Conference. You will re-ceive a copy of this report as soon as it is possible to publish the complete story. At this juncture this is not possible, thus the delay in issuing the promised report.

If you operate barefoot, then put on your shoes, you are likely to get a hot foot. All very strange to me.

English is a versatile language, but it is complicated when the same word has two meanings. Heard two galahs talking about cooking galahs.

Noticed that the previous editor of "CQ" (W2NSD) is now publishing a new magazine called "73". Well, never say die.

Having written this column the last w months, it is fitting that thanks be given to those who have so kindly sent me bits of gossip from which the brief outlines have been given. At times to hide the identity of those concerned, it nide the identity of those concerned, it has been necessary to be rather vague, but it is impossible to print the full story, to do so would embarrass all concerned. Thus each story must be very brief and not identify the real persons. Though one person did write saying he was not the person referred saying he was not the person referred for the part of the part o

Have been trying to find out what a VK8?

A Merry Xmas to all readers, and a sincere hope that the coming year of '61 brings fun and health to you and

yours.

73 CASEV

CORRESPONDENCE

PLEASE ASSIST OSL BUREAUX

Editor "A.R.," Dear Sir,
The outwards QSL officer for VK3 (Ivor
Stafford, VK3XB) has drawn my attention to
the following matter relating to "outward"
QSL cards—a matter which has caused me
concern to. We find that far too many Amat-

concern too. We find that far too many Amateurs, when preparing cards for despatch, are loathe to forget four cardinal rules necessary for quick and efficient handling by us. Therefore we ask (through the courtesy of your columns) that all VK Amateurs, when despatchcolumns) that all VK Amateurs, when despatch-ge cards, ensure: align of the addresses be to cards, ensure: align of the addresses be to cards the control of the card (tep left hand corner). (b) All cards be "faced" aline, the company of the the sender company of the card of the card (the card of the card

-Eric Trebilcock (BERS-195), Acting Federal QSL Manager,

PER CAPITA PAYMENTS

-Bob Boase, VK3NI, W.I.A. Federal Treasurer.

S.W.R. MEASUREMENTS

S.W.B. MEASUREMENTS

Deltor "A.R." "Deer Sir.

"Deer Sir.

"Deer Sir.

"Deer Sir.

"Deer Sir.

"Would like on S.W.R. Measurements with a TA-32 Triband Antenna in Cetober issue," I would like to correct an United States of the Control of the Contr

Forward Power plus 1 ewp -

Forward Power minus I

When power is not specifically stated, the formula and graph appearing in the Oct, issue of "A.R." are correct.

Those of our ranks who are academically minded can correct for transmission line attenuation, etc. -C. I. Patterson.

MORSE CODE

Editor "A.R.," Dear Sir,
I feel compelled to comment on certain remarks made by Mr. R. Jones, VK3BG, with
regard to band allocation and c.w. commun-It would appear that If M. Jones and some IT would appear that If M. Jones and some pect to not only have a reduction in frequency allocations, but in types of emission. I do not that his view do not represent those of the malority of non-ow. Amsieurs. It is an activation of the control of rited or inefficient.

The present overcrowded situation in mateur bands can easily be resolved. The

is no interference problem in the cw. portion reason, lack of a we activity, the use of a reason, lack of a we activity, the use of a reason, lack of a we activity, the use of a set of the control of t

involved in the scramme tor space.

I am convinced that the re-introduction of a haps the introduction of code proficiency certificates, would go a long way to solving the present overcrowding in our bands, and would present overcrowding in our bands, and would selderably. Surely this is preferable to the blatant removal of a vital community service.

—Cyrll Rylatt, VKSTC.

During few years as such 7 heve not me does not even from the likes 8 even the at typical cross section of the Ham Tratemity with two exceptions, all project suprocedule that even they could not gauge in depth. All body and provide that even they could not gauge in depth. All body and grid their teeth, even before they have its midely. At the exam, approaches body and grid their teeth, even before they have its midely. At the exam, approaches the same murder, in their hearts—the same than the same murder in their hearts—the same than the same ment used for tree-feiling. Whits their The result—they fail the exam, whilst their their their their their their their their their colors, after having learnt to appreciate the nelody, the rhythm and the shear artistry obtainable through this medium. Undaunted, examiner gets absolutely sick of the haggard faces and obviously shattered merves, and passes the poor fellows out of pity.

nees and obviously shattered nerves, and These trees live no vocable types the tree of the

taining."

Because of his approach, that is exactly what Because of his approach that is exactly what the because of the history of the passes his exam, three months abead of schedule. For me, it was a pleasure to instruct such a one, because his approach made it easy Could I, point out to all prospective Hams that this is the only sensible way to approach the language of Morse Code. (Continued on Page 18)

BRIGHT STAR CRYSTALS FOR ACCURACY, STABILITY, ACTIVITY



AND OUTPUT Our Crystals cover all types and frequencies in common use and include overtone, plated and vacuum mounted. Holders include the following: DC11, F7243, HC-6U, CRA, B7C, Octal, HC-18U.

THE FOLLOWING FISHING-BOAT FREQUEN-CIES ARE AVAILABLE IN FT243 HOLDERS:-6280, 4095, 4535, 2760, 2524 Kc. 5.500 Kc. T.V. Sweep Generator Crystals, £3/12/6.

100 Kc. and 1000 Kc. Frequency Standard, £8/10/0 plus 12½% Sales Tax. Immediate delivery on all above types. AUDIO AND ULTRASONIC CRYSTALS-Prices on application

455 Kc. Filter Crystals, vacuum mounted, £6/10/0 each plus 12½% Sales Tax. ALSO AMATEUR TYPE CRYSTALS-3.5 AND 7 Mc. BAND.

Commercial—0.02% £3/12/6, 0.01% £3/15/6. plus 12½% Sales Tax.

Amateur—from £3 each, plus 12½% Sales Tax.

Regrinds £1/10/-% CRYSTALS FOR TAXI AND BUSH FIRE SETS ALSO AVAILABLE.

We would be happy to advise and quote you. New Zealand Representatives: Messrs, Carrel & Carrel, Box 2102, Auckland,

Contractors to Federal and State Government Departments. BRIGHT STAR RADIO

46 Eastgate Street, Oakleigh, S.E.12, Vic. Phone: 57-6387 With the co-operation of our overseas associates our crystal manufacturing methods are the latest.

Amateur Radio, December, 1960

CORRESPONDENCE

With these remarks, I dismiss Mr. Roth Jones' With these remarks, I dismiss Mr. Roth Jones' crackpot abolition and re-allocation remarks, and look down the band for a good chat with one of my DX cw. friends. The second with the control of the cont

Billo, silv Was course.

Editor "A.R.," Dear Sir,
I write in reply to the letter of VKZBG in
the October "AR." I am one of the "strange
chaps" who works c.w. exclusively, and I am
indicate. I do not "scarifice all for that one
country"—I work anybody anywhere.
One reason that I won't be going on phone
is been supported to the property of the
is been supported to the period of the beering no relation to
"stranged activities"

I hear, most of it bearing no relation experimental activities? experimental activities?
Following 3BG's tosts "to the abolition of c.w. and the ridding of our ranks, etc. ..."
I would like to add another—Here's to the ridding of our ranks of the narrow minded who see their own hobby-horse as the only worth riding. -J. C. Redman, VK2JE.

Editor "A.R.," Doer Sin.

Doer Sin.

The Sin. s.s.b. boys have the quase.

Neither will the c.w. chaps warm to the inference that we are alien or pestiferous. The c.w. man differs not one whet from the phone man in his search for new countries as the many thanks would prove. man in his search for new DXCC listings would prove.

—Alan Shawsmith, VK4SS.

Editor "A.R.," Dear Sir,
I am amazed to read the letter of Roth Jones in the October issue advocating the abolition

of c.w. from the A.O.C.P. exam. and also from 14 Mc. entirely. If Roth had been a poor c.w. operator I could perhaps understand his attitude, but as he is far from being that, I can only come to the conclusion that he is so enthralled with his new toy s.sb., that he has overlooked the fact that the Amateur is balanced and tolerant of

now the Ash. that he has overlooked the fact other Anniserus modes of communication. Other Anniserus modes of communication. In the control of the control of the control of the 40 kc, of 14 Mc, and aliest the rest of the band of the control of the control of the control of the and later on suggests that if it is the wish of the majority (presumably the ash. and phones) band, he reminds me of a certain gratheran II, it not every c.w. man who clause after of the world if i can work VEI that is TX. but not every first may be a control of the control of the but not very offern and 14 Mc is used as a but not very offern and 14 Mc is used as a but not very offern and 14 Mc is used as 14 Mm that can be worked in in Britshne, and 14 Mm that can be worked in in Britshne, and 14 Mm that can be worked in in Britshne, and 14 Mm that can be worked in in Britshne, and

If more frequencies

in more frequencies are required for 8.8.0. what is wrong with the open spaces on 3.5 Mc.? I suppose the answer to that would be general noise. It may interest Roth to know that here there is a high noise level all the year round on all bands from the broadcast

down.

In case you should think that I am sore because I work c.w. only, I must say that for some years prior to 1394 I was operating both some years prior to the sound of th -Edmond Waddle, VK4GZ.

Editor "A.R.," Dear Sir,

Editor "A.R.," Dear Sir,
the property of the p

fractistics when, after on hour of operation, attached only figure their call.

The condemnation of c.v. communication, and the condemnation of c.v. communication. The condemnation of c.v. communication of condemnation of stations using this mo

in any other country.


Several other points can be made in favour
of c.w. Firstly, it is the easiest and cheapest
way to get on the air. There can be no argument about that. Its advantages in heavy go-

way to get our has fir. There can be no sense up to a top the can be a top to the can

-Don Grantley, WIA-L3688. [More letters on the same subject have been received and will be published next issue.—Ed.]

REDUCE THE SIZE AND COST OF YOUR NEW EQUIPMENT

TYPICAL. UNITS USING ZEPHYR MATRIX SYSTEM



Leaflets and Price List available from all leading Wholesalers.



Enquiries invited from

Manufacturers.

ZEPHYR PRODUCTS PTY, LTD.

58 HIGH STREET, GLEN IRIS, S.E.6, VIC. Phones: BL 1300, BL 4556

SWL

Maurice Cox, WIA-L3055 Flat 1, 37 Boyd Crescent, Olympic Village, Heidelberg, N.23, Victoria.

NAI. Veteria.

So another year ends for we, he aw.He. To ways, and while I think of the secces I have been a constant of the secces I have been a formed that we will have these than the section of the second of

of the VK3 Group would like to see s.w1's. from all States, owledge correspondence from I wish to acknowledge correspondence from Fic Treblicock, Don Grantley, Chas. Aber-neathy, Dave Jenkins, Barry Thomson from New Zealand, Alan Holmes, Eric Hutchins, Gerry Albeck, Michael Jenner, Colin Hutches-sen and Mac Hilliard—Hank you very much

A new member in the VK3 Group, and on behalf of the office-bearers, I welcome Leigh Banks, WIA-L3096.

WKS: Last Priday night, Jock KEZDIG gave and selleven me it was one of the med little and the leaves of the selleven me it was one of the med little and the leaves of the med little and the leaves of the med little and the leaves of the lea

coughe of years. Wedowen book Angles, it was the Vett Gerry Ables has been side to a while-hope all fe well with you now Gerry 16 toller hope all fe well with you now Gerry 16 toller hope all fe well with you now Gerry 16 toller hope and the Wild. He was told that a well of the control of the well of the well of the control of the well of t

future. Now see here, you VKS listeners, I am ex-VKS born, bred and raised in Woodville—now you wouldn't want me to say in this page that there was no Group in Adelaide, would you? So don't let me down, re-open the Group and if you want any help in getting it going write to me.

and if you want any neep ... write to me. write to me. write to me. to his antenna at the present time is only 18 ft. high due to a storm they had about a month or so back. He used the Wo like the work of the w

Calcular Control of the Calcular Control of Calcular Calcular Control of Calcular Control of Calcular Calcular



Some members of the VK3 S.w.l. Group at Rye during the R.D. Contest week-end. Left to right: Dave Fraser, L3977; Mauric Cox L3055; Ron Young, L3976; J. Donald; Ian Woodman, L3008; Clarrie Walker; Mac. Hilliard, L3974.

OVERBAS NOTES

WHEREAS NOTES

WHITE A STATE OF THE STATE

logs in due course. WAZI, Constant—From DN goods of the wood published into checuity. There were very few properties of the constant of the co

DX: The bands have been performing well of late here, several good countries were logged during the Contest UBS, DI, W. JA, PXE found on the DX page, whilst 15 and 10 brought their good ones. State is making it leads to the DX page, whilst 15 and 10 brought their good ones. State is making it lead of DX to be found for the patient listener on 46, the commercials make copy very hard, phone sections of the various bands and there it stays. STAYS. VR6AC should be on from Pitcairn using s.s.b. re this. AC3NC is heard here operating c.w.

in the phone hand. Note Jock ZLAOX was for the definitely not a pirete. GML via OKLIP. Gedenitely not a pirete. GML via OKLIP. In a sure that some of our phone oklip. I am sure that some of our phone oklip. I am sure that some of our phone oklip. I am sure that some of our phone oklip. I am sure that some of our phone of the owner own

CORRESPONDENCE

CORRESPONDENCE

Eric Trebilecek.—The S2L job keeps him very busy, likewise the gardening and motoring, plus 40 hours at work. Do you know what, he's been at it again listening on 20 mx. It's amazing, 1 just can't understand him, dropping his beloved c.w. for phone. Ah, well, it's all in the game.

all in the game.

Frie Helshlat—He has ecquired an EddyErie Helshlat—He has ecquired an EddyErie Helshlat—He has experience of the control of the contro

double extended Zesp for 21 Me., favouring Chas, Abrustay profets he is very kappy with an early processed to every kappy with a set of processed to the VK-ZL this set of the VK-ZL this past on the VK-ZL this past on the VK-ZL this past on the back. Well, Chas, Bankle very not the control of the VK-ZL this past on the back. Well, Chas, Bankle very not the very large to the very large very large to the very large v

DY LABRED

			Con-		No. o
		Hrd.	firm.	Zon.	Card
L3042	Eric Trebilcock	269	258	40	-
1.2022	Don Grantley	205	60	31	-
L3074	Mac. Hilliard	193	52	23	130
L3055	Maurie Cox	187	28	18	67
	Rod de Balfour	180	122	_	-
L3065	Ian Thomas	126	16	13	
VK4	C. Thorpe	114	82	32	100
L5031		94	5	5	=
1.3015		86	28	-	
L3072		80	11	10	=
L2185	A. Chatto	79	11	10	=
1.2185	A. Chatto	79	-	-	-
L2158	B. Vleck	79	-	-	-
L2159	R. Thompson	73	2	2	-
L3088	Don Grantley	85	4	-	-
L5020	F. Aslin	40	3	2	_
L2204	S. Ferry	35	-	-	-
L2211	C. Aberneathy	35	9	3	-
L5026	G. Smythe	28	1	1	_
L3077	Dave Fraser	65	-	_	_
L2011	G. Albeck	18	_	_	_
1.2052	T. Mills	14	2	2	
1.2155	P. Irvine	5	-	-	=
1,3006	I. Woodman	4	1	1	=

Amateur Radio, December, 1960

GOING S.S.B.?

How about contacting AMATEUR RADIO SERVICE for your needs EWW are able to supply you with the popular ARSS or ARSSA SSB.

EWW are able to supply you with the popular ARSS or ARSSA SSB.

Eww are able to supply you with the popular ARSS or ARSSA SSB.

Eww are able to supply you with the popular ARSS or ARSSA SSB.

Transmitter, custom built to your own needs.

able. Although the circuit remains almost unchanged, the unit now comes to you in an all-steel cabinet with an additional tuning control in the mixer circuit of the ARSSA unit, thus permitting a choice of both Low and High

"Z" outputs.

ABS comprises the following: 12AT7 audio, \(\frac{1}{2} \) 12AU7 driver to "Aswe!"

audio ps.n. \(\frac{1}{2} \) 12AU7 xtal oscillator, 12AT7 audio amp., 2 x 6AL5 diode

B./Modulators, 6BA6 Class A output stage.

B./Modulators, 65A6 Class A output stage.

ARS5A: Similar to above except that a 6BE6 mixer stage is included in place of the 6BA6 linear, switchband 80-10 mx.

Both units feature Selectable Sidebands and P.M. positions. Price: ARS5, £26/10/0: ARS5A, £28/10/0 (both less valves).

Quotes gladly given on any custom-built equipment, be it S.S.B., A.M.,

WE EXTEND TO ALL READERS THE COMPLIMENTS OF THE SEASON

AMATEUR RADIO SERVICE

MANUFACTURERS OF ALL AMATEUR RADIO EQUIPMENT

605 ABERCORN ST., ALBURY, N.S.W. (P.O. BOX 439). Phone: Albury 1695

CHOOSE THE BEST-IT COSTS NO MORE



Head Office: 27-41 Bowden Street, Alexandria, N.S.W. ed at Melbourge . Brisbane . Adelaide . Perth

AMATEURS

FOR THE BEST RESULTS

USE

IRONCORE

- + POWER TRANSFORMERS AND CHOKES
- * BATTERY CHARGERS.
- * SCOPE AND ORYX IRON TRANSFORMERS.
- * STEPDOWN TRANSFORMERS.

IRONCORE TRANSFORMERS PTY. LTD.

HIGSON LANE, MELBOURNE, C.1

Phone: 63-4771

1	PREDICTION CHART, DEC. '6
	Me. E. AUSTRALIA — W. EUROPE S.E. M 0 2 4 6 8 10 12 14 16 18 20 22 24 45 GMT
	0 2 4 6 8 10 12 14 16 18 20 22 24 45 GMT
	45 GMT 28
13	45 GMT 28
1	
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45 28 21 14
	45 28 21 14 7
1	
	E. AUSTRALIA — MEDITERRANEAN 0 2 4 6 8 10 12 14 16 18 20 22 24
	45
	45 28 21 11 7
H	14
	E. AUSTRALIA — N.W. U.S.A.
11	0 2 4 6 8 10 12 14 16 18 20 22 24
1	45 28 21
1	14
	E. AUSTRALIA — N.E. U.S.A. S.R. 0 2 4 6 8 10 12 14 16 18 20 22 24
1	45
1	45 28
4	7
	E. AUSTRALIA — N.E. U.S.A. L.R. 0 2 4 6 8 10 12 14 16 18 20 22 24
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45 23 21 14
	14 1
	0 2 4 6 8 10 12 14 16 18 20 22 24
	28
	45 28 21
	7
	E. AUSTRALIA — S. AFRICA 0 2 4 6 8 10 12 14 16 18 20 22 24
	45
	45 28 21 14
	14 -
	E. AUSTRALIA — FAR EAST 0 2 4 6 8 10 12 14 16 18 20 22 24
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45 23 21 21
ח	14
	W. AUSTRALIA — W. EUROPE
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45
	45 28 21 14
	7
	W. AUSTRALIA — N.W. U.S.A. 0 2 4 6 8 10 12 14 16 18 20 22 24
	45
	45 28 21
100	14
	W. AUSTRALIA — N.E. U.S.A. 0 2 4 6 8 10 12 14 16 18 20 22 24
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45 20 21 14 -
	21
	0 2 4 6 8 10 12 14 16 18 20 22 24
1	45 28
	45 28 21 14
	7
	W. AUSTRALIA — FAR EAST 0 2 4 6 8 10 12 14 16 18 20 22 24
	0 2 4 6 8 10 12 14 16 18 20 22 24
	45 28

DX

John C. Pinnell, VK2ZR

Conditions this mosth, in the INX field, have been very changeable. The 14 Mc band have been playing "hide and seek," with conditions over several days at a time at a very low level—at other times things were good. For about 1 can't remember it being better. Conditions were almost world-wide. 7 Mc. also had some good openings to Europe, Africa and Asia. good openings to Europe, Africa and Asia.

Canadian Amateurs may now operate phone
on the following bands: 7,150-7300 Kc, 141001450 Kc, 2100-2450 Kc, 2400-29700 Kc. These
extensions came about as a result of petitions
circulated and submitted to the controlling
Government Department after the W/K stations moved up to the top end of 14 Mc. band. tions moved up to the top end of 14 Mc. band. Many prominent DX-ers complain that the extension of 50 Mc. to the American 50 mx QKM to the WKS, but has brought just another batch of inconsiderate operators to the band. Strong QKM coused by We make it band. Strong QKM coused by We make it band. Strong QKM coused by We make it band. Strong CKM coused by We make the America. This, in turn, leads to the encroachment of phone frequencies upon the steadily america. This, in turn, leads to the encroachment of phone frequencies upon the steadily A. "centiferantly, survey.

A "gentleman's agreement" may help the NEWS AND NOTES

602AB, Somali Republic, is active on 7, 14 and 21 Mc. bands using c.w. and phone. 602GM and 602NG are also active but 602NG will be returning home to England soon. ZDICM and ZDIAW are both active from Sierra Leone. ZDICM uses c.w. on 14 Mc, and is frequently active from 1900 to 2200z. is frequently active from 1800 to 2200x. HSIR has brought Thailand back onto the DX map again. He is active on 14 Mc. cw. kairly frequently.

Sam Mazds from W-land is now in Nepal and using the call sign 9NISM. WOBSK is keeping skeds with him around 1200x on Sundays, and is arranging skeds for those who need a sarranging skeds for those who need a skeds with him around 1200z on Sundays, and is arranging skeds for those who need a SNI QSO.

Stations active from some of the new African countries are: FQ8AJ and FQ8AE, Republic of Congo: FQ8HT, Central African Republic; FQ-SH. Tchad Republic; FF4AB, Ivory Coast

Congo; FQBHT, Central African Republic; FQ-8HL, Tehad Republic; FF4AB, Ivory Coast Republic.
ZS3RO and XYI. ZSSSM will operate from ZS7, ZS8 and ZS9 for three weeks beginning about the first of November. Operation will be on 10 and 15 ms, am, and s.s.b. only. YL, Yvonne CR9AN, is active on 21 Mc. from Macao. She can usually be found around 1200z. Address is Rua Bispo Madeiros, 30-B, Macao. JTIKAC, Mongolia, has been very active over the last few weeks. His signals are fairly strong in Sydney around 1200z. A replacement has been found for Ian ZL4JF who will now return to New Zealand. This will leave Campbell Island without Amateur Radio as the new man is not interested in

Radio as the new man is not interested in Amateur Radio ands will have an Amateur Radio operator working from there about the end of the year. It is understood he is very interested in DXing. See that the second of the second of the should be on a.b. anytime now as he has a Hallicrafters HT-37 ix. He won this as a grand prize at the Pecific ARRIC. Convention in

California. evinc A.R.R.L. Convention in ETAAZ, Ethiopia, will be closing down shortly but hopes to establish a permanent station in Addis Abab. He is helping to organise a local radio club. ocal radio club.
Contacts with VQIHT and VQISC were
gitimate. This DXpedition operated from
anxibar where 2,116 contacts were made with 80 countries. ICIIN, too close to Italy for DXCC good for WPX. CRECA/EAO, Anno-bon Island, valid for new DXCC under the DXCC and the DXCC and the DXCC DXCC. Cyprus, ZC4. British Sovereign Area to be reviewed by DXCC Committee. ZD2, British Cameroons will be separate DXCC from the rest of Nigeria, which has just become countries.

z zero time-GMT.

VK2AQU was on s.s.b. with 85w, to a set only 12 feet high. He was on the air

independent. Rockall Island, will be new DXCC when activated. Wrangle Island, fails to meet DXCC rule of off-shore distance. DXpedition to San Andres Island is being planned by YNICAA and YNITAT from about 20th to 27th Nov. C.w. and s.s.b. operation on 10, 15, 20 and 40 mx.

10, 15, 20 and 40 mx.

It was understood that ex-VKZANB was to operate from Norfolk Island as VKSANB. This cell sign was apparently used because of a fine correct call sign is VKSADP. This has been varified by the Radio Branch. At present no QSL carefa are available, but will be sent cut will be the Correct call sign, is VKSADP. This has been will be correct call sign, irrespective of whether or not the contact was made under this call or the earlier, but incorrect one. this call or the earlier, but incorrect one. Details of this station are: VKSGP, Raymond J. Baty, Cable Station, Norfolk Island. At the moment the bands used are, in the main, 7 and 14 Mc., but other bands will be used as the occasion permits. The policy of this station will be 100 per cent. QSI. on receipt ocards from stations worked. (VKSAGM) UA0AU has worked a number of VKs and is very anxious to get their cards. He asked me to pass his wishes along to VKs 2CK, 3VJ, 3MR, 3GV, 4CC, 5AB and 5TC. MR, 3GV, 4CC, 5AB and 5TC.

Frank VK2QL has arranged for the Ionossheric Prediction Service to phone a weekly
orecast to VK2WI for inclusion in the Sunday
oracdeast. Any of the DX boys interested
should listen to VK2WI at 11 a.m. Sundays

broadcast. Any of the DX boys interested should listen to VKZWI at 11 am. Sundays (Sydney time). These broadcasts give the latest information. These broadcasts give the latest information. Description of the latest information. The latest broadcasts with the missed by anyone interested in this phase of our hobby. SVOWZ is very active from Crete. He is prompt with his QSL. Send QSL to Box 564. prompt with his year.

At has been reported that all CR
Thomel must shut down by 1st Nov.
no resson given for the action.

ACSPN is very active around 1200c.

ACSPN is very active around 1200c.

Murphy, K6CQM, Editor NG, I CR5s (Sao

"AGNIV is very active second 1806.
Bib Marphy, EGCQL Zellies (NCC), A sellies in Bib Marphy, EGCQL Zellies (NCC), A sellies in Alan WiGCK, wrote; 'One of the Bib Color of the DC Color of the The above is sett explained, in the log?

80 metres is worth watching, some good contact have been made. Phil W2HUG worked that have been made. Phil W2HUG worked just like a local contact. He is looking for VK. His Kr is a DXINO and the antenna is 46 ft. vertical. (VKJAKN)

ACTIVITIES

George WKOG at Lithogo operation on 16 secure with Collection of the Wilson of W

a year except for sheeds.

George VERAND was neither on 14 Mc. phone for the Course VERAND was neither a VERAND (NEW YORK). CENTRA (NEW YORK) WAS NOT THE WORK OF YORK OF THE WAS NOT THE

between 0800 and 1000z and worked DJHM, HCIFG, KCHUSH, KGeNAA, KCHAAC, KL-FBC, KR8MB, KSCQVKSS, OA4EA, LUSAJ, KM0BO, CNNHX, PZIAX, HZIAB, VUNNK, KWCCV, VESBMB, YRSP, VUSNK, PZIAX, ZS6NK, VSIAV, KRSSH, KA2MM, CX2AX, CR-SAH, OA4CV, IICQD, VRSI, KCSUSV, OA4BR,

THEPS.

DOL. LOUIS has not been very active for two two control of the part of the "WAZIL Cantast tools the off for part of the "WAZIL Cantast tools the off for part of the "WAZIL Cantast tools the part of the "WAZIL Cantast tools of the part of the "WAZIL Cantast tools of the part of the "WAZIL Cantast tools of the part of the "WAZIL CANTAST AND THE PART OF THE P ADMIN LANDER IN Mc. photococcine of the PER BERN-10 but nided another one. ACC PER BERN-10 but nided another one. ACC PER BERN-10 but nided another one. ACC PER BERN-10 but nided another one of the PER BERN-10 but nided another one of the PER BERN-10 but nided and the PER BER

9AlW/MM.

Laurie VK2AMB found conditions very poor but worked, 14 Mc. c.w.: VK9ANB (Norfolks, now VK9GP), HMIAD, ITIETQ, HCSVB, 5A2CU, TIEES; heard: HRIMM, VG8BC, KW-6DF; phone worked: TG9AL; heard: VRIF. 6DF; phone worked: TG9AL; heard; VMIF,
Frank VK3GI, has had trouble with his arm
the 50 ft, pole—results, a 20 ft, water pipe is
now holding up the far end. However, he has
bandt. All work was on e.w.; 5.5 Mc, worked
water, EXIES, WEIL have WITH AMPLIED,
FRAMI, GSLET, DLIPF, VKIIS, KOSLD/KW,
GODG, UGAST, DLIPF, VKIIS, KOSLD/KW,
GODG, UGAST, DLIPF, VKIIS, KOSLD/KW,
GODG, UGAST, DLIPF, VKIIS, KOSLD/KW,
KAC, VG9A, ZKIAR; heard; SVSWO, 21 Mc,
OTHORS, TSTAN, TSTAN,

OHONE.

Dave L3089 heard: 3.5 Mc. JAICOR, YUZCUV,
OEGUS. Europeans on 80 mx were heard very
weak and early a.m. 14 Mc.: UASWA, JAIVX,
XZZTH, ZKIAR, IIIF, UASWZ, 4X4LM, VUZRM. 21 Mc.: LA8GF, OZTUU and many others. 28M. 21 Mc. LASGF, OZTUU and many others.
VKEZR.—WOFGE 14 Mc. cs. PUIUSG, CE.
2AG, CKENT DIECK, EATIA, FAAG, GEFM,
HIBBG, LANFE, LUTZI, LZSKEN, GANIN, GEHZ, OHITN, OKIKKG, SFSTA, SVWKZ, UAHKAN, UAGUU, ULTLE, VULAN, XZZTI, ZZLASK, VERN, UAGU, GER, CANGER,
TZ, HMIAD, KENACO, CANGER,
TZ, HMIAD, KENACO, CANGER,
TZT, HMIAD, KENACO, CVRIB, VYJAS, ZSLOYZSS, ZSIRA/ZSS. WOFGE Over 280 DX stations for month.

stations for month.

Don VRAIANT has not been very active over
the last few weeks. It found 20 me errate
the last few weeks. It found 20 me errate
on the last few weeks. It found 20 me errate
on the last and a second of the last of the
WHITCH, REPORT AND TARKEY, FALSEY, WARTEN, REPORT AND TARKEY, FALSEY, WHITCH, REPORT AND THE SECOND TO THE SECOND TH

My thanks to Don Chesse and his DX maga-ne and all the VKs who sent in notes to help me compile this page. I wish you all a Merry Christmas and a Happy New Year, 73, John.

NOTES

FEDERAL.

NEW ADDRESS FOR V.E.R.O.N.

NEW ADDRESS FOR V.E.R.O.N. V.E.R.O.N. (Vereniging Voor Experimenteel Radio Onderzoek in Nederland), the Society in Radio Onderzoek in Nederland), the Society in Radio Research (Nederland), the Nederlands of Radio Research (Nederlands), the Nederlands of Radio Radio Research (Nederlands), the Nederlands of Radio Ra

OPPORTUNITY

OPPORTUNITY
Here is an opportunity to obtain "Call Book Magazine" (the world directory of Amateurs) at about one-third normal price. Federal Executive has for sale several recent back numbers, most in near-new condition. Prace including postage is £1, and the following are available: available:—
Spring 1980 (U.S.A. section only), Winter
1989/60 (U.S.A. section only), Fall 1939 (world-wide), Spring 1959 (world-wide). Apply Bob Rosse, 85s Franklin Street, Melbourne, Vic.

FEDERAL OSL BUREAU

FEDERAL QSL BUREAU

I an always at a new toward and the control of the Control of

reports.)
Inward cards for VKS should now be sent to Ted Fuller, VKSTF, Box 41. Darwin, Northern Territory, Australia. The VKS Bureau will continue as outward bureau for VKS members. -Eric Trebilcock, BERS-195, Acting Manager.

FEDERAL AWARDS Since 4/7/60, W.A.V.K.C.A. Certificates have

- awaraced 35 uncer:—

 No. 134 ZLIHA—R. C. Miller

 135 WeMIL—Tom S. Stuart

 136 WeCHY—Gan Baker

 137 KP4YT—Joseph Gongalez

 138 WIVUR—Jim Smith

 139 VUZMD—Dady S. Major

 140 WMLIY Dick McKercher

 141 VESCIO—Harry D. Gray.

- -Alf L. Kissick, VK3KB, Awards Manager. -SILENT KEY-

It is with deep regret that we record the passing of:-

VK5TW-Tom Welling.

NEW SOUTH WALES

NEW SOUTH WALES
The Indicators revenue at Actions St. vas well attended by members eager to be independent of the compared of

"Ode to "Billiard Cure" "A cheer for And though he cures it like helt. The UYA And though he cures it like helt. The UYA And though he cures it like helt. The UYA And though he cures it is like helt. The UYA And though he was a considerable to the blank helt. The UYA And though he was a considerable to the blank helt. The was a considerable to the UYA And the UYA And The Wall and the UYA And The Wall and the UYA And The Wall and the UYA And The And The Wall and the UYA And The Wall and The Wall

BLUE MOUNTAINS FIELD DAY

The Lawson Swimming Pool grounds was the venue for the Blus Mountains Section's Annual Field Day held on October 38. Over 180 et al. (1998) and the control of the Blus Mountains Section's Annual Field Day held on October 38. Over 180 et al. (1998) and the control of the Contr



A photograph taken at the Hunter Branch (W.LA.) Dinner, 1/19/90, Left to right: Dave Duff, VERIO, Federal Councillor; Gordon Sutherland, Branch Scretary; Lionel Swain, NYZGS, Branch President; Wal Salmen, NYZSA, Metropolitan Folice Superintendent; Bill Lewis, VERYE, Divisional President; Gorge Biley, Persident; Gorge Biley, Persident; Alan Branch, Markan, Walk, Mark Hull, VAZGS, Federal Council President; Alan Branch, Markan, Markan,

HUNTER BRANCH

As in the HUNTER BRANCH of the Country of the Count

The weather was reasonable and depths an The weather was reasonable and depths and was very successful. Actually the entity pool was very successful. Actually the entity pool was reasonable and the depth of the de

CQ VK2, CQ VK2, CQ VK2! Plan your holidays to include the N.S.W. DIVISION'S ANNUAL.

CONVENTION

27th, 28th, 29th JANUARY '61

Jan. 27: General Meeting. Jan. 28: Convention at Dural. Jan. 29: Mobile Rally and Field Day. Watch the Bulletin for further details. 73 de VK2MP, Chairman, Convention Committee

Amateur Radio, December, 1960

2nd Mrs. 2ZVL, 3rd Mrs. 2WJ. 144 Mc. hidden tx, 1st 2AWZ, 2nd John 2ZAV. 7 Mc. scram-ble, 1st Dave 2AWZ, 2nd Geoff 2CK, 3rd Gra-ham 2AGN. 144 Mc. scramble, 1st Dave 2AWZ, 2nd Dick 2ZCF. 2nd Dick ZZCF.

At the conclusion of the day the prize were presented by the Section President, Kelli-ZABK. The success of the day was the result of the work an animber of local Annateur including 2AQ. AZVK. 2HX. 2RX. 2RX. 2AQ. AZVK. 2KX. STAM. 2AQF. 2MZ, 2XXZ and Associate Les Stahl.

CENTRAL COAST ZONE

Operation of the Gosford Radio Club station, VKZAFY at the Gosford High School Science Exhibition on October 13 was very successful. Exhibition on October 13 was very successful antenna. Conditions on 40 during the day were excellent, but at night 80 mx was too noisy. 37 contacts were made including two old Gosfordians, John 3AVY and Rex 2YA.

were, 57 cont. Cut were makes into that look to do discoloration, John ANY and Rex YYA. As a single distance proved very useful, a the angle distance proved very useful, a the convergence of the converge

turned to W-land Dut we man, next year. Your scribe 20N has had success with g.g. \$AG7 as driver for \$13 in s.s.b. tx. This makes three linear stages! I think one should stop

BOYS' RADIO CLUB, VKRATQ

Lately we've got the habit of checking to see if the aerial is still up, day-time contacts are so scarce on 40 mx. Next year we hope to raise a real antenna farm to make things easier—parts are on hand for a 20 mx three easier—parts are on hand for a 20 mx three

easiler—parts are on nann for a 20 mx unree Club members were recently welcomed in the shack of Kev 2ASV, where they saw a 40 appearance. A souvenir of the visit was a very fine speaker cabinet for the club station and XIAID STATE and A souvenir of the club station and XIAID STATE, mobile, took a few boys for a run one dinner hour, and they were able to exchange comments with the club station durchange comments
g the ride.
Mike has just finished an extensive project
celebrate the arrival of a new soldering
on—a dual wave set and audio osc. for c.w. practice. John is making a transistor rx when he gets the transistors. all the club members will have been out to 2WI by the time this particle; if you have any QSLs left, you posted to be the probability of the probabilit

VICTORIA

The Middle Convention as a disappointment, and at Convention as a disappointment, from the point of view of those free who attacks and at Convention as a disappointment, and a supposition of the convention of t

WESTERN ZONE

Merr, SACO, Inchân, has recently returned from the property of the property of

SOUTH WESTERN ZONE The big event of the month, the Jamb on-the-Air, has passed and the dust is se



The Gestort Radio Club display at the Gestort High School Science Exhibition hall bands were worked and many stations contacted. Standing left to right: Lin 2RU (President), Associate, Geoff 2MV, Geoff 2AII, Front row, left to right: Associate, Roy Elliott (Z. call), Fred ZALA, John 2ND, Reg 2AI (Secretary), En

What a wonderful event it was far both parties. At least for the average Annexes, many the season of the season of

ATTERN ZONE

ATTER

RADIO SLIDE RULES!

A Must For All Ham Enthusiasts

* OHMS LAW CALCULATOR—OHMITE

This Rule is devoted to Resistance calculations, but also includes A. B. C and D scales. All calculations involving Volts. Ohms, Amps., and Watts may be made with a single setting of Rule. Price 6/ plus 1/- post.

* REACTANCE SLIDE RULE_SHURE

Covers most problems likely to be encountered involving Inductive Reactance, Capacitive Reactance and Resonance. Calculation of "Q" is also possible.

Price 18/6 plus 1/- post.

BOTH RILLES ARE AMAZING TIMESAVERS AND WILL GIVE YEARS OF SERVICE.

McGILL'S AUTHORISED NEWSAGENCY

"Established a Century" "The Post Office is opposite" 183-185 ELIZABETH STREET, MELBOURNE, C.1, VICTORIA

Phones: MY 1475-6-7



SPECIAL PRODUCTS



Modulation Transformers |

Type MT25 Primary: 8,000 ohms P.P. 10 Watts: Class B 6N7. Sec. 1: 4,200 and 6,000 ohms. Sec. 2: 3.5 ohms—F.B. or Voice Coil.

Type MT30 40w, Semi Universal With Impedance Chart.

Primary: 2,000 to 10,000 ohms A.-A. Sec.: 400 to 10,000 ohms. Power Rating: 40 Watts (Modulation) Reversible mounting case with turret lug termination.

Type MT15A

Power Rating: 75 Watts (Modulation) Identical electrically with Type MT-

15 now discontinued. Reversible mounting case with turret lug termination.

Full technical data obtainable from your A. & R. Distributor.

Driver Transformers

Type IT630

Primary: 4,500 ohms nominal, for 6V6, 6BW6, 6BM8, etc., at triode. Sec.: To 6N7 Class B Grids. Ratio: Prim. to half Secondary 2:1. Frequency Response: 200-5,000 c/s.

Type IT545 (10 watts)

Primary: 4,000 ohms. Ratio: Prim. to half Secondary 1.6:1. For driving Class AB2 Grids from Triode Driver.

Type IT588 (5 watts)

Primary: 5,000 ohms S.E. or P.P. Secondary: 7,100 ohms per side C.T. For driving 807s Class B Triodes from S.E. or P.P. Driver.

ELECTRONIC EQUIPMENT COMPANY PTY. LTD. 378 St. Kilda Road. Melbourne. Vic. . . . MX 1150

wid's QTH lately might get the wrong im-ession—he has more wire around his place an my in-laws have around their fowl-house! Very little activity from Cliff 3ATT. I'll bet is the one out mowing all the hay and using more suffering for us hay-fever types. e you all again, achoo! next month. 3ASW.

MORWELL RADIO CLUB

The Morwell Radio Club was formed in Sep-ember with, as one of its objects, the foster-g of interest and appreciation of radio in commed as a result of the interest taken in a cativities of the Morwell High School sta-con, 3ANL, and has the use of the High School childres, which is much appreciated by all

concerned.

Activities are so far organised around meetings held every Thursday evening with nights frequency gear, audio frequency gear, ut., and receivers, and general club business in regular frequency gear, audio frequency gear, i.v., and receivers, and general club business in regular the activities of the activities of the health of the members are at present going as a few fingermals are being chewed witting for the results of the Cotober battle. The best of luck to those who attempted t1—2270.

MOORABBIN & DISTRICT RADIO CLUB

MOORABIN'S DISTRICT RADIO CLUB
By the time that these notes are printed a
or committee will have been formed. The
heaver they may be a second to the committee will have
heaver they may be a
heaver t

on 11th Dec. our Annual Pienic will be held, d on Friday evening, 16th Dec., our Xmas arty. Preparations are already in hand for see events and with our increased member-aip should be better than we have seen for p should be better than we have seen for ne considerable time. Yow may I extend on behalf of all members the Moorabbin and District Radio Club the artiest of Christmas Grettings, and may the w Year bring to you all that you desire.

QUEENSLAND TOWNSVILLE

TOWNSHILL

Rolldeys are one and clawring to a class.

Rick would remark filter fart toeks, while

Rick would remark filter fart toeks, while

Rick would remark filter fart toeks, while

Whit is each and and a control of a right

for links, where I am assets of a right

for links, where I am assets of a right

for links, where I am assets of a right

for the links of the result of the right

for the links of the results in our

for the links of the results in our

for the links of the right

for the links of the links of the links of the

for the links

as openables in denser?

While at Mi. In a I, but the opportunity, to an opportunity to the openable of the opportunity of the see ZFM looked after the beach angles or ould I say beach figures. On the return a Castino and was able to see the new Tape ne 6 mx rx he won in coming first among 500 cntrants. Who says we are "Down Un-tool of the company of the com-tool of the com-tool of the company of the com-tool of t continued to the second second

SOUTH AUSTRALIA

SOUTH AUSTRALIA

The monthly general meeting of the Division monthly general meeting of the Division was the own of the property of the proper



OBITUARY Mr. T. WELLING, VESTW

Mr. Tom Welling, VKSTW, died suddenly at Mount Gambler, South Aus., on Octo-ber 31. He was 61. He had returned home from hospital three days earlier after suf-fering a heart attack five weeks earlier. The late Mr. Welling, who was born in ngland, had been connected with Radio

The lafe Mr. Wennig, one with Rail of the Control o

chief engineer at SSE Mound Gambier in
A keen Ansieur, Mr. Welling gained his
first class P.M.C. certificate in 10 mg. gained his
first class P.M.C. certificate in 10 mg.
first class P.M.C. certificate in 10 mg.
first class P.M.C. certificate in 10 mg.
first class properties of the was not
first class properties. The was not
few years he worked 2 ms with leval Andearn. in recent years he was active on
Mr. Welling was a requisir stiender at
Gas Wrieles Buttlette meetings and his
great properties of the work of the work
younger members. Our sincere sympathy
younger members. Our sincere sympathy
greet to his widow and four damphers.

little assistance at odd times would have be appreciated by them both. Nevertheless an appreciated by them both. Nevertheless and conditions of the condition o Miracles can happen!

go without monttoning that I was again thanked with appeal of the property of

was had by all and at the same time oppor-tunity was taken to say bon voyage to Ken, who, if rumour is to be believed, was at times nigh unto tears at the thought of leaving such a cheery bunch of Elizabethians.

a cheery bunch of Elizabethians.

The following evening there was a general
method of the control of the contro

The Elizabethan Aver, and sees to come.

Citics PF is heard equaviting a weap during many and the control of th

ing him, but are reposed, on special him as a contract of the second of

Tubby SNO is quite a busy little bee on the state of the

arounds in Theory house, spreach, and the the second of the control of the contro

of drift. No doubt he will be digging some of the rarer DX out of the QRM from now on, although it will be no good me trying to work him with the state of my v.f.o., he would only catch me as I tore up and down

would only catch me as I fore up and down.

Les 507 has been in Adelaled dong a course on translators, and from this the field boy on the control of the con

All SECIR is the latest arrival in Mount Gam-bler, and the boys extend a hearty welcome to him. This new blood could mene a renewal accounts would be very welcome. Johnny SKO passed through the Mount this month on a continuous section of him to be a section of him to him to be section of him to be a section of him lately, I even do not know if he is active on his beloved 2.5 Me., but this I do heard all about the merits of that hand as against any other.

March and Control of the Bury-and-Sell Nights, My co-comparisor at the Bury-and-Sell Nights, minute of the Adelaide Hospital sites a march and the Adelaide Hospital sites a march and the Adelaide Hospital sites a march and the Adelaide Hospital of the Sell and the told but was not antour to talk and would probably be in the bospital for several city. Bud about a sell of the Adelaide Hospital Sell and the Adela

TYPE 65

General purpose with low frequency response suitable for lively halls.

TYPE 66

P.A. use where less low frequencies are required than the 65 with a lift in the middle frequency ensure high output without feedback.

TYPE 67

Communication use has a further reduction in low frequencies than the 66 and increase in high frequencies for intelligibility through noise.

THREE INDIVIDUAL TYPES IN THE FAMILIAR "65" CASE

Available in Low (M.D.) 50 ohms, and High (M.A.) Grid Impedance.



Retail Price including Sales Tax

Type 65 MA £11/0/7 65 MD £8/19/0 66 MA £11/3/6 £9/3/0 £.11/3/6 67 MD £9/3/0

ZEPHYR PRODUCTS PTY, LTD. 58 HIGH STREET, GLEN IRIS, S.E.6. VICTORIA

PHONES: BL 1300, BL 4556

Amateur Radio, December, 1960

eer. I thus that he size up such meet is ill good shift. Nevertheen it is considered in VKG that in these troublet times for Amat-er Destits. It is not to consider any subject one phase of the hobby in favour of another one phase of the hobby in favour of another selfering that I woulded have the fall to suggest that they be abolished on so finney an objec-ellor, but I woulded have the fall to suggest that they be abolished on so finney an objec-pon is another man's need, and that there proposed in the subject of the support of we will soon be half ruisely one had dad systa, "Hell Bullet".

is room for everybody. Once we forget this surject, "Fig. 11" of the surject of t

WESTERN AUSTRALIA

Well chaps here we are back again after two months' silence, due to being snowed under with work (that's the curse of the drinking classes). I am not receiving any news from any VK6s as yet and the information is very

say VKRs as yet and the information is very that the second is not contained by myself, so what about the contained by myself, so what about the contained by myself, so what about the contained by the contained

voice of SRW for he highested if out of the CO arrival at Carraron as red while with the control of the control cow noises VK6CL).

· REPAIRS and CONSTRUCTION, WIRING and TESTING.

· RECEIVERS and TRANSMITTERS,

T.V. ALIGNMENT. ECCLESTON ELECTRONICS 146a Cotham Road, Kew. Vic. WY 3777

Crice again the cheerful voice of Fets NFICC about the tarker "Anternat" was heard on to about the tarker "Anternat" was heard on to about the tarker "Anternat" was heard on to a superior to the tarker and tarker tarker and tarker a

A similar set-up is used by Eric but his rx is a valve converter feeding into his car radio. Eric's tx covers 40-20-15 mx against Jack's 40 mx. Good luck Jack and Eric, keep it up, one of these days we will start field days here in VK6 and then you can show us

Well, chaps, all that remains is for me to say is a Very Merry Christmas to all VKes and S.w.Ps., may all your DX logs grow to overflowing in the New Year and I am sure all VKes pass on their Xmas Greetings and 73 to all VKs and look forward to many QSOs with them in the coming year—73, 67 to

TASMANIA

Although conditions were generally very poor, the Jamboree of the Air over the week-end of 22nd and 23rd October was an outstanding success so far as this Division was concerned. Sixteen stations are known to have participated and nothing but good can arise as a result of the very favourable publicity. as a result of the very favourable publicity.

Keth TRX had the best of conditions by fooing camping near Sorrall with a Scout Troop
ing camping near Sorrall with a Scout Troop
for that location. Bot 70M is again feeling
right, after the severe shock be had at work
the searth to the electric drill at the back of
the power point. Charles TCH was operating
for the power point. The power power point
for the power point. The power power power
for the power power power power power
for the company to the power power power
for the power power power power
for the p time. Your signal was still pretty good Chas. Ken TKA is now convinced that the 813 in his rig is a very rugged tube. Can you imagine his surprise and pleasure when he realised after he had effected repairs, following the removal of the 1000 volt ht. while the screen was operating at its normal potential? Ken shack, and casmo to the astrondaring result that 63 were in operation for over 13 hours continuously during the Jambore of the Afr. timously during the Juntoree of the Air.

Al the time of writte, the club room fund
programs towards our precliminary goal of
at the general meeting. The Co. Clew your
control of the programs of the programs of the programs
in the program precliminary pool of
the program precliminary to Clew your
presentable the Changes on Priday might; 15th
Len TLE did a remarkably good job as our
betturn at the Movember densert insetting on
the control of the programs of the programs
in the programs of the programs of the programs
and that CRC and WHGZ have also been in
the production of the programs of the programs
and that CRC and WHGZ have also been in
the production of the programs of the programs
and the CRC and WHGZ have also been in
the production of the programs of the programs
and the programs of the programs of the programs
and the programs of the programs of the programs of the programs
and the programs of the progra

ome.

The Federal Contest Committee members, and their willing helpers, are delighted that he R.D. Contest is again behind them. We ow await the result.

That raucous noise you have heard on the ands since the middle of October might not the R.D.

be Asiatic in origin, so just take another listen, it could be my phone. They tell me it sounds natural. With best 73. Ian 7ZZ.

NORTH WESTERN ZONE

Well here we are once again with pen to paper in an attempt to record a little of the activities of the Zone during the past few perform in thempt to recent of hase-one me of the control of the c

right circles for "p" day.

A goodly number were present at the meeting and many other topics were naturally discussed. Syd 75F brought along some interesting gear he acquired on his recent trip "overseas". Supper was served in the f.b. amenities room and some rare demonstrations of table tennis were provided by sundry members.

HAMADS

Minimum 5/-, for thirty words. Extra words, 2d. each.

Advertisements under this heading will only be accepted from institute Members who desire to be accepted from institute Members who desire to sonal property. Copy must be received at F.O. Box 38, East Melboura, C.J. Vie, by 8th of two months, and remittance must accompassy the months and remittance must accompassy the in Hamads. Dealers' advertisements not accepted in this column.

FOR SALE: AR8 Rx with built-in Q5er, £17/10/0. B. Withers, 157 Lime Avenue. Mildura, Vic.

FOR SALE: 3-6 Mc. Command Rx. mod-FOR SALE: 3-6 Mc. Command Rx, mod-fied plus noise limiter; Xial lock, 40-164 Mc. Command Rx; 6-9 Mc. Com-mand V.f.o., modified; All-Band Ex-citer, 807 output, matches V.f.o.; 5-6 metre gang-tuned Converter; AR301B Rx mod. for 2 mx; Modulator, 100w. Trimax Multi-match, 808 Class B, 6L6s driver, speech clip., etc., with p.s. up to driver. Any reasonable offer. VK3CP, 15 First Ave., East Kew, Vic. WL 2614.

WANTED: Manual for Type 3 Mark II. 30 Buchanan St., Hamilton, Newcastle, WANTED: Power Supply and Instruc-tion Manual for AT21; Plugs, Cables, and Instruction Manual for ART13; also 128 Manual. A. Swinton, VK2AAG,

Avoca Beach, N.S.W. WANTED: Set of Coil Boxes for AMRIO1, and copy of Manual for same (buy, or borrow for photostat). M. Haagsma, 422 Beaconsfield Terrace,

Haagsma, 422 Beac Brighton, N.E.8, Qld. WANTED TO BUY: One Vibroplex

Semi-Automatic Key. Please supply full details of model, price and condition to VK3GZ, P.O. Box 326, Mildura, Vic.


WANTED TO BUY: Valves type 834. Price to F. D. Wilkinson, VK5ZO, 21 Harrow Road, St. Peters, S.A. Phone:

WANTED TO BUY: 3-6 Mc. Command Type Receivers, urgent. C. Gibson, VK3FO, Maldon, Vic.

INDEX TO VOLUME 28-1960

		W.I.A. Official List of Coun-
ANTENNA, ETC.	I.T.U.	tries for DXCC Jan. p.11 W.I.A. Federal President's Re-
Antennae for S.w.l Sep. p.9	I.T.U. Extraordinary Meeting,	port, 1959-60 Sep. p.16
G4ZU "Bird Cage" Antenna Jul. p.10 Selection of Antenna Tower Apr. p.8	W.I.A. Federal Council Mar. p.8 Results of Geneva 1959 I.TU	Winding Coils for Low Fre-
S.w.r. Measurements with the	Conference Mar.p.11	quencies
TA33 Jr. Triband Antenna Oct. p.17	MISCELLANEOUS	Silicon Rectifiers Oct. p.21
AUDIO FREQUENCY EQUIPMENT	Amateur Radio Exhibition Oct. p.27	RECEIVING
AND DESIGN	"Amateur Radio" Magazine Jul. p.9	Another Product Detector Dec. p.13
Audio Limiters, Clippers, and	A Word to the Wise Jun. p.13	Fitting an "S" Meter Sep. p.7
the use of Silicon Diodes as	Bomber Used for T.v. Tests Feb. p.11	Foolproof "S" Meter Feb. p.9
Compressors	Capacitance Meter Dec. p.3	Hint for 122 Transceiver
Driving Zero Bias 807s Aug. p.5	Cheap 100 Kc. Calibrator Jul. p.7	Owners Apr. p.13
Restricted Frequency Range Speech Amp Jul. p.16	Crystal Calibrator No. 10 Dec. p.9	HRO Alignment Data Sep. p.8
Some A.B.C's. of Amplifiers Feb. p.10	CV and VT (U.S.A.) Service	Intermediate Frequencies of
75-Watt Modulator Aug. p.3	Tubes and Equivalents Aug. p.7	Some Disposals Receivers Aug.p.15
	Growing Pains, S.w.l. Variety Feb. p.6	Mobile the Economical Way Feb. p.2
BOOK REVIEWS	How to Win S.w.l. R.D. Con- test Aug.p.15	Product Detector / Balanced Demodulator Oct. p.15
"CQ" Anthology 1945-52 Apr. p.15	H.t. Supplies Sep. p.21	Product Detectors Aug.p.17
"CQ" Licence Guide Apr. p.15 Know Your Oscilloscope Apr. p.15	Index to "A.R." Technical	R1155 Receiver:
Ohms Law Calculator and Re-	Articles 1956-60 Dec. p.14	Part One-Design Sep. p.3
actance Slide Rule Apr. p.15	John Murray Moyle—An Ap-	
Radio Amateur's Handbook Jun. p.7	preciation May p.13	Sideband Reception Without
Radio and T.v. Hints Apr. p.15	Low Freq. Xtal Oscillator Dec. p.13	Substitute for Transistorised
Shortwave Receivers for Be-	Miniature Tone Oscillator Sep. p.10	Tears Mar. p.2 Substitute for Transistorised Audio in 12V. Receivers Jan. p.9
ginners Jun. p.7	Official Opening of N.S.W. Divisional H.Q	The AR7 and S.s.b Jan. p.2
Stereo Handbook Apr. p.15	Operation Tokelau, ZM7DA Mar.p.16	Three-Band Xtal Converter Apr. p.7
S9 Signals Aug.p.13	Pedal Wireless Pioneer Passes	Transistorised Converter for Mobile Work, the Easy Way Oct. p.7
The Transistor Jun. p.7	On Oct. p.22	Tunachle If Passiver with
101 Ways to use your Oscillo- scope Apr. p.15	Publicity Corner—Don't Be	Tuneable I.f. Receiver with BC453 Mar. p.3
101 Ways to use your V.t.v.m. Apr. p.15	Shy About It Feb. p.12 QSL'ing Jan. p.10	Turret Tuner for Receiver
	Reporting, Distinct from QSL-	Front-End Jul. p.4
CONTEST RULES AND RESULTS	ing Aug. p.9	Two-Band Xtal Locked Con- verter Apr. p.15
N.F.D. 1960, Results May p.9	Rules for the Australian DX	Using Overtone Oscillators Aug. p.6
Results of the Remembrance Day Contest, 1960 Dec. p.6	Century Club Award Oct. p.25	Comp Creations Comments in the Pro-
Ross Hull Memorial V.h.f.	Sad Story of Multi-Op. Sta- tion, N.F.D Apr. p.12	TRADE REVIEW
Contest 1960-61, Rules Nov. p.7	Sales Tax Change on Radio	RCA Volt Ohm Milliammeter Aug.p.13
Ross Hull Memorial 1959-60,	Sales Tax Change on Radio and Television Valves Sep. p.15	
Results Jun. p.11 Rules for 1960 N.F.D. Contest Jan. p.14	Slow Scanning T.v. with Electrostatic CR Tubes Nov. p.4	TRANSMITTING
Rules for 1960 R.D. Contest Jun. p.9	trostatic CR Tubes Nov. p.4	A 6146 on 2 Metres Oct. p.19
VK/ZL Contest 1960, Rules Sep. p.13	Some Characteristics of Valves at Low Voltages Jan. p.15	Better R.f. Phase-Shift Oct. p.31
VK/ZL 1959, Results Mar. p.8	S.s.b. Why? How? Aug.p.10	Hint for 122 Transceiver
	Synchronous Communication:	Owners Apr. p.13
HANSARD REPORTS	Part 1 Apr. p.2	Linear Amplifiers Nov. p.11
Hansard Reports Jul. p.17	Part 1 Apr. p.2 Part 2 May p.4 Part 3 Jun. p.5	Receiver Method of Phasing
In Defence of Amateur Frequencies	Technical Article Award Jan. p.15	Alignment Jan. p.13
I.T.U. Questions in Senate May p.7	Technical Topics:	Some A.B.C's. of Amplifiers Feb. p.10
in a design in behave in May pir	Valves Jun. p.7	Some Thoughts on V.f.o.'s Jul. p.13
HINTS AND KINKS	Tuning Feb. p.11	Single Sideband Adaptor Jul. p.6
Backlash in HRO Tuning Con- densers Jun. p.13	The Hard Way May p.7	Super Simple Sideband Dec. p.4
densers	Thief Strikes Again Sep. p.11	Try Remote Tuning for Your 50 Mc. V.f.o Nov. p.5
Demagnetising Tools Feb. p.16	Timer	T.v.i. Diagnosis Chart May p.3
Drilling Hint Jan. p.10	T.R. Control Oct. p.31 Tributes to the Late John	T.v.i. Literature Jun. p.7
Home-made Test Prods Sep. p.8 How is your Modulation? Apr. p.18	Moyle Jun. p.15	Two Tubes and Xtal Control
Modification of FT243 Crys-	Tunnel Diode Story Oct. p.4	on 288 Mc Jul. p.3
tal Holders Sep. p.8	T.v.i. Diagnosis Chart May p.3	Using Overtone Oscillators Aug. p.6
Modulation Percentage Indi-	T.v.i. Literature Jun. p.7	V.f.o. for 6 Metres Feb. p.5
cators Jun. p.13	Using Silicon Rectifiers and T.v. Components in Amat-	Voltage Tuned V.f.o Apr. p.11
Panel Bushings from Poten-	T.v. Components in Amat-	Tomage Zunea Tailo m. mpi. p. 12
tiometers Jun. p.13 Parallel Fed Plate Modulation Apr. p.18	eur Power Supplies Sep. p.2	
Surgical Instruments in Am-	Visual Monitoring Sep. p.21 Voltage, Current, Power and	HAMADS
ateur Radio Feb. p.16	Resistance Chart Feb. p.14	For this issue, please turn to Page 27
Transistor Protection Feb. p.16	VT127 Data Aug.p.10	- Code, promo man do Tago Mi

What Value Component? Jan. p.5 W.I.A. Official List of Coun-



R. H. CUNNINGHAM PTY. LTD.

join with their many world-famous overseas principals to extend...



Xmas Greetings

to amateur friends
throughout Australia...

Celebrate with a

GELOSO AMUTEUR BUND H.F. TRANSMITTER AND RECEIVER COMPANION UNITS



MODEL 209R RECEIVER

- Designed exclusively for Amateur Band operation.
- 12-Tube (plus 1 voltage stabiliser, 1 current stabiliser, and 2 selenium rectifiers) H.F. Communications Receiver.
- Selectivity—five positions: Normal, Xtal 1, Xtal 2, Xtal 3, Xtal 4.
- Reception of S.S.B.: Amplifier and detector circuit for S.S.B. signals, upper and lower sidebands, with carrier re-insertion.
- Sensitivity: Better than 1 microvolt for 1 watt audio output.

 Antenna Input: Balanced or unbalanced.
- Amenia input. Desanted of unbasanced.

MODEL G222TR TRANSMITTER

- Six H.F. Bands-80 to 10 Metres. Main Features include:-
- Simple, rapid changing of operating frequencies and bands.
 - Rapid changing from phone to c.w. operation due to simple switching arrangement.
 - "Transmit-Receive" switch simultaneously switches the antenna connection for speedy changing from transmission to reception.
- 6146 tube in the final providing transmitting rating of approximately 65 watts on phone and 75 watts on c.w.

MODEL 209R. Amateur Nett Price: £138/8/2 (F.O.R.) plus Sales Tax.

MODEL G222TR. Amateur Nett Price: £111/3/8 (plus 12½% S.T.) F.O.R. Melbourne.

BOTH GELOSO UNITS AVAILABLE FROM LEADING DISTRIBUTORS

Technical Leaflet giving full details available from:-

Sole Australian Factory Representatives:

Cable: "Cunnig"

R. H. CUNNINGHAM PTY. LTD.

VIC.: 8 BROMHAM PLACE, RICHMOND, 42-1614

N.S.W.: 29 GIBBES ST., CHATSWOOD. 40 0218

S.A.: 14 STAMFORD COURT, ADELAIDE, 51-6392

O'LD.: 43 BOWEN STREET, BRISBANE, 2-3755

W.A.: KING'S PLACE (off 12 King St.), PERTH. 21 2126

7. Amateur Radio, December, 1960